



Scan QR Code
for more Details

Led Lighting
Product Catalogue
JUNE 2023

PROJECT

*Discover the
Difference...*



About Us...

Designed by world class international lighting designers, ORLO energy efficient LED lighting solutions are a leap ahead of the market. Our aim at ORLO is to maintain a competitive advantage by innovating and bringing the best in-class technology and latest designs to our target market.

Today ORLO is one of the fastest growing consumer durable brands in India. Registered under ORLO Electronics Pvt Ltd, ORLO has been at the forefront of transforming the electrical & lighting industry in India through innovation and industry best pre-post sale services, warranty and support.

ORLO signifies quality, consistency and innovation. ORLO LED Lighting solutions come with industry leading on-site replacement warranty*.

Note: Please allow 3-7 days for assembly/packing of all material in project lighting catalogue.

*On-site Replacement is only provided directly by the company in Delhi/NCR and by authorised distributors & dealers in rest of India..

Products Index



All products are compliant under
BIS (Bureau of Indian Standards)

SN.	PRODUCTS	PAGE NO.	SN.	PRODUCTS	PAGE NO.
1	Pixel Panel	05	20	Moon Wall Light	33
2	2x2 Panel	06	21	Omega	34
3	Mirabella	07	22	Ovel Updown	35
4	Lexus	8	23	Quad Pro	36
5	360° Surface	9	24	Wall Highlighter	37
6	Trinity	10	25	Micra	38
7	Zoom Cob	11	26	Multipurpose Highlighter	39
8	Royal Cob	12	27	360° Tracklight	40
9	Laser Blade	13	28	Surface Rd / Cobra wall Lt	41
10	Cabinet Light	14	29	Garden Light	42
11	Handing Linear	15	30	Gate Light	43
12	Spectre / Lumia	16	31	Bollard Light	44-45
13	Mirror Light	17	32	High Beam	46
14	Mystique	18	33	Project Profile	47-50
15	Led Magnatic	19-27	34	Stair Lt Controller	51
16	Jigsaw	29	35	Wall Washer	52
17	Wave	30	36	Dimmable Driver	53
18	Led Bulkhead	31			
19	Austin Updown	32			



Indoor Lighting
Series...



PIXEL Panel

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND
SQUARE

IP20



CAT NO.	MODEL	POWER	OUTER DIA.	HEIGHT	CUTOUT	CCT	LUMENS
OP-535	PIXEL PANEL	12W	120 (R)110(S)	60	110 (R)100(S)	WH/WW/NW	1320
OP-537	PIXEL SMART	12W	120 (R)110(S)	60	110 (R)100(S)	WH/WW/NW/Smart	1320
OP-538	PIXEL PANEL	18W	154 (R)145(S)	60	145 (R)135(S)	WH/WW/NW	1980
OP-540	PIXEL SMART	18W	154 (R)145(S)	60	145 (R)135(S)	WH/WW/NW/Smart	1980

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 110Lm/W

*All sizes are in mm





2X2

HIGH WATTAGE LIGHT

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
SQUARE

IP20



CAT NO.	MODEL	POWER	OUTER DIA.	CUTOUT	HEIGHT	COLOUR	LUMENS
OP-69	GLAXO PANEL	40W	600x600	580x580	30	4K/6.5K	4000

- 1 Suitable for Grid ceiling
- 2 Comfortable Glare free light
- 3 Sleek & seamless Profile adds to overall visual appearance
- 4 High Luminous efficiency

*All sizes are in mm



Anti-dazzle & Anti-leakage | Die-casting Panel Light | Easy Installation
Ultra Sleek Design | High Lumen Output | Super Elegant - Eco Friendly



MIRABELLA

SURFACE COB

Discover the *Difference...*

TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	35°
-----	----------------	----------------	------	-----

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-443	MIRABELLA	12W	75	110	3K/4K/6.5K	1200
OP-450	MIRABELLA	18W	100	120	3K/4K/6.5K	1800

- 1 Decorative Metallic Finishing
- 2 Durable & impact resistant Die-casting Aluminium Housing
- 3 Driver with Inbuilt Protection
- 4 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

Body Color : Black

REFLECTOR COLORS





LEXUS

Surface COB lights

Discover the *Difference...*

TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	 35°
-----	----------------	----------------	------	--

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-786	LEXUS COB	6W	55	100	3K/4K/6.5K	600
OP-787	LEXUS COB	12W	75	115	3K/4K/6.5K	1200
OP-788	LEXUS COB	18W	95	130	3K/4K/6.5K	1800

- 1 Decorative Metallic Finishing
- 2 Durable & impact resistant Die-casting Aluminium Housing
- 3 Driver with Inbuilt Protection
- 4 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

Body Color : Black

AVAILABLE REFLECTOR COLORS



100% Proudly
Made in India



360°

SURFACE COB LIGHT

Discover the *Difference...*

TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	35°
-----	----------------	----------------	------	-----

CAT NO.	MODEL	POWER	OUTER DIA.	HEIGHT	COLOUR	LUMENS
OP-446	360° SURFACE	12W	70	115	3K/4K/6.5K	1200

- 1 Decorative Metallic Finishing
- 2 Durable & impact resistant Die-casting Aluminium Housing
- 3 Driver with Inbuilt Protection
- 4 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

Body Color : Black, White



BEAMING
BRILLIANCE

TRINITY

Cob Downlight

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP20



CAT NO.	MODEL	POWER	CUTOUT	OUTER DIA.	HEIGHT.	COLOUR	LUMENS
OP-160	TRINITY	6W	65	75	50	3K/4K/6.5K	600
OP-166	TRINITY	12W	75	85	70	3K/4K/6.5K	1200
OP-167	TRINITY	18W	85	110	70	3K/4K/6.5K	1800
OP-164	TRINITY	35W	125	150	90	3K/4K/6.5K	3500
OP-165	TRINITY	50W	150	170	115	3K/4K/6.5K	5000

1 High Quality Aviation Grade Aluminum

2 High Performance LED's Chip

3 4 kV surge Protection Bright, Uniform soft lighting

4 High Color Rendering index>80

*All sizes are in mm



OPTIONAL
DIMMABLE DRIVER
Price Available upon request

ZOOM

Cob Downlight

Discover the *Difference...*

TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	55°
-----	----------------	----------------	------	-----

CAT NO.	MODEL	POWER	CUTOUT	OUTER DIA.	HEIGHT.	COLOUR	LUMENS
OP-54 R	ZOOM	35W	145	165	120	3K/4K/6.5K	3500

- 1 High Quality Aviation Grade Aluminum
- 2 High Performance LED's Chip
- 3 4 kV surge Protection Bright, Uniform soft lighting
- 4 Clean & well Defined Beams

*All sizes are in mm





Royale

COB Light

Discover the *Difference...*

TECHNICAL DETAILS




AC
220-240V

SHAPE
ROUND

IP20



Available Royale
REFLECTOR COLORS



CAT NO.	MODEL	POWER	CUTOUT	OUTER DIA.	HEIGHT	COLOUR	LUMENS
OP-451	ROYALE B/W	6W	65	75	54	3K/4K/6.5K	600
OP-453	ROYALE B/W	12W	80	90	75	3K/4K/6.5K	1200
OP-459	ROYALE B/W	18W	85	95	95	3K/4K/6.5K	1800

- 1 Decorative Metallic Finishing
- 2 Durable & impact resistant Die-casting Aluminium Housing
- 3 Deep Recess for Visual Comfort
- 4 Long Life Span Uniform soft lighting

*All sizes are in mm

Body Color : Black, White



BLACK + GOLD



BLACK + ROSE GOLD



BLACK + CHROME



BLACK + GUN METAL



ALL BLACK



WHITE + GOLD



WHITE + ROSE GOLD



WHITE + CHROME



WHITE + GUN METAL



ALL WHITE

LASERBLADE

LED DOWNLIGHTS

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
SQUARE

IP20



CAT NO.	MODEL	POWER	CUTOUT	OUTER DIA.	HEIGHT	COLOUR	LUMENS
OP-731	LASER BLD	2W	35x35	45x45	45	3K/4K/6.5K	200
OP-732	LASER BLD	4W	35x65	45x75	45	3K/4K/6.5K	400
OP-733	LASER BLD	10W	35x142	45x148	45	3K/4K/6.5K	1000
OP-736	LASER BLD	20W	35x287	45x295	45	3K/4K/6.5K	2000

1 Decorative Metallic Finishing

2 Durable & impact resistant Die-casting Aluminium Housing



3 Modern, Unobtrusive Design

4 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

Body Color : Black, White

THESE REFLECTOR COLOURS
ARE AVAILABLE IN 10W ONLY





Counter

Shelf

Workbench

Widely Application & Bright

Perfect add light for
anything or nightlight.

Led Cabinet Light 4w & 8w

Enjoy your life with unique thin design

TECHNICAL DETAILS



AC
220-240V

SHAPE
SQUARE

IP20



CAT NO.	MODEL	POWER	LENGTH	WIDTH.	HEIGHT	COLOUR
OP-362	CABINET	4W	1 FEET	23	8	3K/4K/6.5K
OP-363	CABINET	8W	2 FEET	23	8	3K/4K/6.5K

*All sizes are in mm



Decorative Metallic
Finishing



Durable & impact
resistant Die-casting
Aluminium Housing



Modern, Unobtrusive
Design



4 kV surge Protection
Bright, Uniform soft lighting

Discover the Difference...



Hanging LED Linear Light



CAT NO : OP-571
POWER : 36W (3382 Black-36W/15W Reflector)

CAT NO : OP-572
POWER : 48W (5070 White Black & Silver)

Size: 1180x48x70
Color: 3K/4K/6.5K

*All sizes are in mm

Discover the *Difference...*



SPECTRE

LED WALL LIGHT



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND


IP20



CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-901	LUMIA	3W	35x56	90	3K/4K	300
OP-902	LUMIA	9W	48x95	120	3K/4K	900
OP-903	SPECTRE B/W	7W	50x116	120	3K/4K/6.5	700

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

*All sizes are in mm



SPECTRE

LUMIA



STYLO MIRROR LED LIGHT

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND


IP20



CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-574	STYLO	6W	335	110	3IN1	600
OP-575	STYLO	12W	500	110	3IN2	1200

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

*All sizes are in mm



Mystique

highbay

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP20



CAT NO:	MODEL	POWER	WIDTH	HEIGHT	COLOUR	LUMENS
OP-122	MYSTIQUE	50W	420	350 mm	3K/6.5K	5500
OP-123	MYSTIQUE	100W	445	400 mm	3K/6.5K	11000
OP-124	MYSTIQUE	150W	470	450 mm	3K/6.5K	15500

- 1 High Quality white light with controlled light distribution
- 2 Corrosion resistant coating
- 3 Best in class SMD LED's Provide high lumen output, contributes upto 55% energy saving
- 4 Housing with good heat dissipation & increase of service life

*All sizes are in mm





SERIES

LED MAGNETIC LIGHT





SMD LINEAR LIGHT

DC48V Safety Voltage
No Electric shock on touch

COB GRILL LIGHT

TECHNICAL DETAILS

AC
220 - 240V

IP20

120°
SMD LINEAR

30°
COB GRILL

Housing: matt Black
Material: Aluminum

CAT NO.	MODEL	POWER	SIZE (LxWxH) mm	COLOUR	LUMENS
OP-791	SMD LINEAR LIGHT	6W	200x22x25	3K/4K	600
OP-792	SMD LINEAR LIGHT	12W	340x22x25	3K/4K	1200
OP-793	SMD LINEAR LIGHT	24W	678x22x25	3K/4K	2400
OP-794	COB GRILL LIGHT	6W	110x22x25	3K/4K	600
OP-795	COB GRILL LIGHT	10W	172x22x25	3K/4K	1000



*All sizes are in mm



COB LINEAR LIGHT

TECHNICAL DETAILS

COB

AC
220 - 240V

IP20

30°
COB GRILL

45°
COB WALL WASHER LIGHT

Housing: matt Black
Material: Aluminum

CAT NO.	MODEL	POWER	SIZE (LxWxH) mm	COLOUR	LUMENS
OP-796	COB LINEAR LIGHT	5W	130x22x42	3K/4K	500
OP-797	COB LINEAR LIGHT	10W	246x22x42	3K/4K	1000
OP-798	WALL WASHER LIGHT	6W	118x22x84	3K/4K	600
OP-799	WALL WASHER LIGHT	12W	226x22x84	3K/4K	1200

*All sizes are in mm

COB WALL WASHER LIGHT





MAGNETIC IMPERIAL LIGHT


TECHNICAL DETAILS

COB	AC 220 - 240V	IP20	30°	Housing: matt Black Material: Aluminum
-----	------------------	------	-----	---

CAT NO.	MODEL	POWER	SIZE (LxWxH) mm	COLOUR	LUMENS
OP-800	COB IMPERIAL	8W	110x22x42	3K/4K	800
OP-801	COB IMPERIAL	16W	218x22x42	3K/4K	1600



MAGNETIC IMPERIAL LIGHT



*All sizes are in mm



MAGNETIC GLOBE LIGHT

TECHNICAL DETAILS




AC
220 - 240V

IP20



Housing: matt Black
Material: Aluminum

CAT NO.	MODEL	POWER	SIZE (LxWxH) mm	COLOUR	LUMENS
OP-802	GLOBE LIGHT	24W	250x250	3K/4K	2400
OP-803	NOVA TRACK	12W	90x36	3K/4K	1200



MAGNETIC NOVA TRACK LIGHT



*All sizes are in mm



MAGNETIC TRACK LIGHT RECESSED AND SURFACE

MAGNETIC HANGING SPOT LIGHT RECESSED AND SURFACE

TECHNICAL DETAILS

HANGING SPOT LT.



AC
220 - 240V

IP20



25°
TRACK LIGHT



24°
HANGING SPOT



90°
HANGING SPOT

Housing: matt Black
Material: Aluminum

CAT NO.	MODEL	POWER	SIZE (LxWxH) mm	COLOUR	LUMENS
OP-804	MAG. TRACK LIGHT	7W	36x90x125	3K/4K	700
OP-805	MAG. TRACK LIGHT	12W	48x150x185	3K/4K	1200
OP-806	HANGING SPOT LT.	7W	54x290	3K/4K	700
OP-807	HANGING SPOT LT.	9W	39x290	3K/4K	900

*All sizes are in mm



TRACK LIGHT

HANGING SPOT LT.

HANGING SPOT LT.



MAGNETIC LIGHT DRIVER

TECHNICAL DETAILS

AC 220 - 240V	IP20	Housing: matt Black Material: Aluminum
------------------	------	---

CAT NO.	MODEL	OUTPUT POWER	SIZE (LxWxH) mm	HOUSING / MATERIAL
OP-808	MAG. DRIVER	100W	L-200xW-22xH-38	MATT BLACK/ ALUMINIUM
OP-809	MAG. DRIVER	200W	L-280xW-22xH-38	MATT BLACK/ ALUMINIUM



*All sizes are in mm



Discover the Difference...

MAGNETIC LIGHT ACCESSORIES



OP-821
BENDABLE CONNECTOR 4 PIN
VOLTAGE : AC220V. DC48V
HOUSING : MATT BLACK
MATERIAL : COPPER+PC
SIZE: 25 CM WIRE



OP-824
END CONNECTOR 2 PIN
VOLTAGE : AC220V. DC48V
HOUSING : MATT BLACK
MATERIAL : COPPER+PC
SIZE: 33 CM WIRE



OP-822
END CONNECTOR 4 PIN
VOLTAGE : AC220V. DC48V
HOUSING : MATT BLACK
MATERIAL : COPPER+PC
SIZE: 33 CM WIRE



OP-825
BENDABLE CONNECTOR 2 PIN
VOLTAGE : AC220V. DC48V
HOUSING : MATT BLACK
MATERIAL : COPPER+PC
SIZE: 25 CM WIRE



OP-823
SHORT CONNECTOR 4 PIN
VOLTAGE : AC220V. DC48V
HOUSING : MATT BLACK
MATERIAL : COPPER+PC
SIZE: 15 CM WIRE



OP-826
SHORT CONNECTOR 2 PIN
VOLTAGE : AC220V. DC48V
HOUSING : MATT BLACK
MATERIAL : COPPER+PC
SIZE: 15 CM WIRE

MAGNETIC LIGHT ACCESSORIES



OP-827
FRAME PATTI
MATERIAL : STAINLESS STEEL
SAME AS PICTURE



OP-830
2 METER TRACK
HOUSING : MATT BLACK
MATERIAL ALUMINUM ALLOY
SIZE (mm) : L 2000 X H 34.5 T 1.5



OP-828
VERTICAL CORNER
HOUSING : MATT BLACK
MATERIAL ALUMINUM ALLOY
SAME AS PICTURE



OP-831
1 METER TRACK
HOUSING : MATT BLACK
MATERIAL ALUMINUM ALLOY
SIZE (mm) : L 1000 X H 34.5 T 1.5



OP-829
CORNER JOINTER
HOUSING : MATT BLACK
MATERIAL ALUMINUM ALLOY
SAME AS PICTURE

***OUTDOOR
LED LIGHTING
SERIES...***





High Finish Premium
JIGSAW 6W
OUTDOOR LED LIGHT

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP65



CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-891	JIGSAW	6W	100	105	3K	600

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100lm/W

*All sizes are in mm



100% Proudly
Made in India



WAVE

LED WALL LIGHT

Discover the Difference...



TECHNICAL DETAILS



AC
220-240V

SHAPE
SQUARE


IP65



CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR
OP-1212	WAVE	10W	215	75	3K
OP-1213	WAVE	18W	275	102	3K

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100lm/W

*All sizes are in mm



ORLO®



TRIFECTA
LED BULKHEAD LIGHT



PICASSO
LED OUTDOOR LIGHT

Discover the Difference...



TIKKO
LED OUTDOOR LIGHT

LED BULKHEAD LIGHT


TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE SQUARE	IP65	△ 120°
-----	----------------	-----------------	------	-----------

CAT NO.	MODEL	POWER	SIZE (LXW)	HEIGHT	COLOUR	LUMENS
OP-893	TRIFECTA	15W	23X105	40	3K	1500
OP-892	PICASSO	12W	260X125	115	3K	1200
OP-745	TIKKO	12W	190x110	70	3K	1200

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

*All sizes are in mm





AUSTIN

OUTDOOR UP-DOWN LIGHTER

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP65



CAT NO.	MODEL	POWER	SIZE	COLOUR	LUMEN
OP-1210	AUSTIN SINGLE	12W	90x155	3K	1200
OP-1211	AUSTIN DOUBLE	24W	90x255	3K	2400

1

Modern, Unobtrusive Design

2

Designed for the Comfort of your eyes

3

Driver with Inbuilt Protection

*All sizes are in mm





Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP65



CAT NO.	MODEL	POWER	SIZE	COLOUR	LUMEN
OP-1204	MOON WALL LIGHT	12W	180x45	3K	1200

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 90Lm/W

*All sizes are in mm



OMEGA

4-WAY LED COB LIGHT

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP65



CAT NO.	MODEL	POWER	SIZE (LXW)	HEIGHT	COLOUR	LUMEN
OP-448	OMEGA 4 WAY	6W(1.5x4)	76x76	55	3K/RGB	1080

1 Modern, Unobtrusive Design

2 Designed for the Comfort of your eyes

3 Driver with Inbuilt Protection

4 High performance LED's with 90Lm/W

*All sizes are in mm



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP65



CAT NO.	MODEL	POWER	SIZE (LXW)	HEIGHT	COLOUR	LUMEN
OP-741	2 WAY LED	3W	76x76	46	3K/RGB	270
OP-742	4 WAY LED	6W	127x76	46	3K/RGB	540
OP-743	6 WAY LED	8W	178x76	46	3K/RGB	720
OP-744	8 WAY LED	10W	230x76	46	3K/RGB	900

1

Modern, Unobtrusive Design

2

Designed for the Comfort of your eyes


3

Driver with Inbuilt Protection

4

High performance LED's with 90Lm/W

*All sizes are in mm





QUAD-PRO

4-WAY LED BEAM LIGHT

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
SQUARE

IP65



CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-547	QUAD PRO	6W	100x100	50	3K	540

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with Chip

*All sizes are in mm





HIGH **lighter**

SURFACE RECTANGULAR
LED WALL LIGHT

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
RECTANGLE

IP65



CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-1205	SR. RECTANGULAR	4W	90	60	3K	400
OP-1206	SR. RECTANGULAR	8W	150x70	70	3K	800

1

Modern, Unobtrusive Design

2

Designed for the Comfort of your eyes

3

Driver with Inbuilt Protection

4

*All sizes are in mm



MICRA

Led Path / Outdoor Wall Light

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
RECTANGLE

IP65



CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-398	MICRA SENSOR	3W	85	85	3K/6.5K	300

1

Modern, Unobtrusive Design

2

Designed for the Comfort of your eyes

3

Driver with Inbuilt Protection

4

*All sizes are in mm





MULTI-PURPOSE
HIGH lighter 3W
LED PUCK LIGHTS

Multi-purpose Light 3W

Small design, Fits anywhere



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP65




35°

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-748	MULTIPURPOSE	3W	60	16	3K /6.5	300

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

*All sizes are in mm

Products
Size





OUTDOOR LED TRACK LIGHT



TECHNICAL DETAILS



AC
220-240V

SHAPE
SQUARE

IP65



CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-1209	360° OUTDOOR	9W	118	165	3K	900

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

*All sizes are in mm

Discover the Difference...

40



SURFACE
ROUND WALL LIGHT



COBRA
Led Wall Light

Led Wall Light

TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE ROUND	IP65	 45°
-----	----------------	----------------	------	---------

CAT NO.	MODEL	POWER	OUTER DIA	HEIGHT	COLOUR	LUMENS
OP-1207	SURFACE RD	3W	100	50	3K	300
OP-1208	SR. COBRA	4W	115	28	3K	400

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W



COBRA SURFACE



SURFACE ROUND

*All sizes are in mm



Garden LIGHT

Discover the *Difference...*

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP65



CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-74	Garden Lt	15W	140	260	3K	1500
OP-397	Narrow Beam	3W	40	88	3K/6.5K	300
OP-394	Narrow Beam	10W	70	130	3K/6.5K	1000

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

*All sizes are in mm



Garden Light



Narrow Beam
Garden Light



All sizes are in mm

Led Gate Light

TECHNICAL DETAILS

IP65

CAT NO.	MODEL	POWER/BASE	SIZE
OP-543	PARABOLIC	E27	325x280
OP-549	UNITY SMALL	E27	165x165
OP-544	UNITY BIG	E27	270x270
OP-548	CROWN	12W	280x300

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 High Quality Aviation Grade Aluminum
- 4 Non-yellowing & high efficiency polycarbonate diffuser

Body Color: Matt Black | Graphite Gray

*All sizes are in mm



PARABOLIC



UNITY GATE LIGHT



CROWN



Led BOLLARDS Light

TECHNICAL DETAILS

CAT NO.	MODEL	WATT	SIZE/HEIGHT	COLOUR
OP-552	ASTA	12W	10"	3K
OP-553	ASTA	12W	20"	3K
OP-554	ASTA	12W	30"	3K
OP-1215	GATEWAY	12W	12"	3K
OP-1216	GATEWAY	12W	25"	3K
OP-558	KREMLIN	12W	10"	3K
OP-559	KREMLIN	12W	20"	3K
OP-560	KREMLIN	12W	30"	3K
OP1203	POLESTAR	24W	120"	3K

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 High Quality Aviation Grade Aluminum
- 4 Non-yellowing & high efficiency polycarbonate diffuser

Body Color: Matt Black | Graphite Gray

*All sizes are in mm




ASTA



GATEWAY



KREMLIN



POLE STAR



Signature
LED BOLLARDS



moon
LED BOLLARDS



ureka
LED BOLLARDS

LED BOLLARDS LIGHT

TECHNICAL DETAILS

CAT NO.	MODEL	WATT	SIZE/HEIGHT	COLOUR
OP-555	SIGNATURE	12W	10"	3K
OP-556	SIGNATURE	12W	20"	3K
OP-557	SIGNATURE	12W	30"	3K
OP-1217	MOON	12W	10"	3K
OP-1218	MOON	12W	20"	3K
OP-1219	MOON	12W	30"	3K
OP-1201	UREKA	12W	10"	3K
OP-1202	UREKA	12W	20"	3K

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 High Quality Aviation Grade Aluminum
- 4 Non-yellowing & high efficiency polycarbonate diffuser

Body Color: Matt Black | Graphite Gray *All sizes are in mm



SIGNATURE

MOON

UREKA

TECHNICAL DETAILS



AC
220-240V

IP66



CAT NO:	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-379	HIGH BEAM	150W	285	170	3K/6.5K	16500

1 High Performance LED's

2 Pressure Die cast housing for good heat dissipation & increase of service life

3 High Surge Protection

4 Corrosion resistant coating

*All sizes are in mm





PROJECT LED PROFILE



Projects Led Profile

Discover the Difference...

Cat No: OT-21

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

0709 COLLARLESS

SIZE : 07x09x07 MM

PCB AREA : 6 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 120 LED Per Meter or Above



Cat No: OT-22

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

0709 COLLAR


SIZE : 07x09x07 MM

PCB AREA : 6 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 120 LED Per Meter or Above



Cat No: OT-01

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

FLAT 1012


SIZE : 10X12X10 MM

PCB AREA : 10 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 180 LED Per Meter or Above



Cat No: OT-04

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

ELITE DEEP 1012


SIZE : 10 x 12 x 10 MM

PCB AREA : 8 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 120 LED Per Meter or Above



Cat No: OT-10

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

TRIANGULAR 1616


SIZE : 16 x 16 MM

PCB AREA : 10MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 120 LED Per Meter or Above



Cat No: OT-02

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

MASTER 1707


SIZE : 17 x 07 x 17 MM

PCB AREA : 10 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 180 LED Per Meter or Above



*All sizes are in mm



Projects Led Profile

Discover the Difference...

Cat No: OT-03

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

COLLAR 1707


SIZE : 24 x 07 x 17 MM

PCB AREA : 10 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 180 LED Per Meter or Above



Cat No: OT-07

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

DEEP 1712



SIZE : 17 x 12 x 17 MM

PCB AREA : 12 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 120 LED Per Meter or Above



Cat No: OT-08

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

DEEP COLLAR 1712



SIZE : 24 x 12 x 17 MM

PCB AREA : 12 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance 120 LED Per Meter or Above



Cat No: OT-11

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

2512 COLLARLESS


SIZE : 24 x 12 x 24 MM

PCB AREA : 18 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance 120 x 2 Line LED Per Meter or Above



Cat No: OT-12

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

2512 COLLAR


SIZE : 24 x 12 x 24 MM

PCB AREA : 18 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance 120 x 2 Line LED Per Meter or Above



Cat No: OT-19

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

3520 COLLAR

SIZE : 35x20x35

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 120 x 2 Line LED Per Meter or Above



*All sizes are in mm



Projects Led Profile

Discover the Difference...

Cat No: OT-20

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside


3520 COLLARLESS

SIZE : 35x20x35

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 120 2 Line LED Per Meter or Above



Cat No: OT-15

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

3535 COLLARLESS


SIZE : 35 x 35 MM

PCB AREA : 30 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance 120 x 2 Line LED Per Meter or Above



Cat No: OT-16

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

3535 COLLAR


SIZE : 35 x 45 x 35 MM

PCB AREA : 30 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 120 x 2 Line LED Per Meter or Above



Cat No: OT-18

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

5035 COLLAR



SIZE : 50 x 35 x 65 MM

PCB AREA : 40 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 120 x 2 Line LED Per Meter or Above



Cat No: OT-17

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

5035 COLLARLESS


SIZE : 50 x 35 x 50 MM

PCB AREA : 40 MM

POA-Price on Application

Minimum Order-
300 Metres (if 3Mtr length required)
100 Metres (if 1Mtr length required)

For Dotless Appearance Use 120 x 2 Line LED Per Meter or Above




PROJECT LED PROFILE

*All sizes are in mm



Salient Feature
Automatic Stair lighting control
Step by step lights
AC DC lights are suitable
Stair Light controller

SENSOR STAIR LIGHT CONTROLLER



Automatic Staircase
LED Light Controller 32 Steps
with Human Movement Sensor



Smart sensor

Sensor distance: 1-3m, 120 degree



MODEL NO: OP-1214

SENSOR STEP LIGHT

SIZE :

L-180mm, W-78mm, H-19mm

*All sizes are in mm

WALL WASHER

Discover the *Difference...*

TECHNICAL DETAILS

AC
220-240V

IP20

CAT NO.	MODEL	POWER	OUTER DIA (LENGTH)	COLOUR	LUMENS
OP-717	WALL WASHER	36W	1000	3K	300
OP-718	WALL WASHER WITH REMOTE	36W	1000	RGB	400

*All sizes are in mm



LED DIMMABLE STRIP DRIVER

Discover the *Difference...*

TECHNICAL DETAILS

AC
220-240V

IP20

CAT NO:	MODEL	VOLT/AMP	POWER	SIZE
OP-724	DIMMABLE DRIVER	12V-5Amp	60W	145x48x30
OP-725	DIMMABLE DRIVER	12V-10Amp	120W	165x58x30
OP-726	DIMMABLE DRIVER	12V-16Amp	200W	180x63x30

*All sizes are in mm





Contact Us



Regd. Address: New Delhi

K-11, Udyog Nagar Industrial Area, Peera Garhi
Near Peera Garhi Metro Station, Rohtak Road
New Delhi-110041

Find Us  

E-mail: info@orloindia.com || Website : www.orloindia.com

Toll Free Number: 1800 103 4199



PROUDLY MADE IN
INDIA