



Led Lighting
Product Catalogue
October 2024

PROJECT

*Discover the **Difference...***



Scan QR Code
for more Details

ABOUT US



About Us...

Designed by world class international lighting designers, ORLO energy efficient LED lighting solutions are a leap ahead of the market. Our aim at ORLO is to maintain a competitive advantage by innovating and bringing the best in-class technology and latest designs to our target market.

Today ORLO is one of the fastest growing consumer durable brands in India. Registered under ORLO Electronics Pvt Ltd, ORLO has been at the forefront of transforming the electrical & lighting industry in India through innovation and industry best pre-post sale services, warranty and support.

ORLO signifies quality, consistency and innovation. ORLO LED Lighting solutions come with industry leading on-site replacement warranty*.

Note: Please allow 3-7 days for assembly/packing of all material in project lighting catalogue.

*On-site Replacement is only provided directly by the company in Delhi/NCR and by authorised distributors & dealers in rest of India..

Our Certifications



ORLO BIS Certificate



ORLO ISO Certificate

Our Clients...



Products Index

SN.	PRODUCTS	PAGE NO.	SN.	PRODUCTS	PAGE NO.	SN.	PRODUCTS	PAGE NO.	SN.	PRODUCTS	PAGE NO.
1	Pixel Panel	05	21	Maverick Batten	25	41	Oval wall light	54	61	Stadium Light	75
2	Exotic Surface	06	22	Vellfire Hanging	26	42	Quad Pro wall light	55	62	HighBeam	76
3	Curve Panel	07	23	Ricaro Hanging	27	43	High Lighter	56	63	Stair Light Controller	77
4	2x2 Panel	8	24	Cryptonic Hanging	28	44	Micra wall light	57	64	Wall Washer	78
5	Mirabella	9	25	Bed Light	29	45	Step light	58	65	Dimmable Driver	79
6	Lexus	10	26	Spectre / Lumia	30	46	Honeycomb / Rugged	59	66	YSD Driver	80
7	360° Surface	11	27	Timber Mirror	31	47	High Lighter 3W	60	67	Led Profile	81-82
8	Punto 360°	12	28	Mirror Light	32	48	360° Tracklight	61			
9	Adjustable Panel	13	29	Mystique	33	49	Flexible Profile	62			
10	Trinity	14	30	Magnetic Light		50	Wall Washer	63			
11	Gimbal Cob	15	31	Jigsaw	44	51	Surface Wall / Cobra	64			
12	Zoom Cob	16	32	Wave Wall Light	45	52	Garden / Narrow Beam	65			
13	Zoom Gimbal	17	33	Vedica Wall light	46	53	Burial	66			
14	Royal Cob	18	34	Reflex light	47	54	Fountain Light	67			
15	Keto COB	19	35	Led Bulkhead	48	55	Swimming Pool	68			
16	Brushed Gold	20	36	Astra Light	49	56	DMX Controller	69			
17	Topaz Track Light	21	37	Austin wall light	50	57	Gate Light	70			
18	Laser Blade	22	38	Moon wall light	51	58	Led Bollard	71-72			
19	Cabinet Light	23	39	Omega wall light	52	59	RGB Flood	73			
20	Hanging Linear	24	40	Quattro Light	53	60	Flood- Highbay	74			




All products are compliant under
BIS (Bureau of Indian Standards)

Indoor Lighting Series...






12W Product Dimension



18W Product Dimension



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND
SQUARE

IP20



*All sizes are in mm

CAT NO.	MODEL	POWER	OUTER DIA.	HEIGHT	CUTOUT	CCT	LUMENS
OP-535	PIXEL PANEL	12W	120 (R) 110(S)	60	110 (R) 100(S)	WH/WW/NW	1320
OP-537	PIXEL SMART	12W	120 (R) 110(S)	60	110 (R) 100(S)	WH/WW/NW/Smart	1320
OP-538	PIXEL PANEL	18W	154 (R) 145(S)	60	145 (R) 135(S)	WH/WW/NW	1980
OP-540	PIXEL SMART	18W	154 (R) 145(S)	60	145 (R) 135(S)	WH/WW/NW/Smart	1980

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 110Lm/W




EXOTIC SURFACE ALUMINIUM PANEL LIGHT


Discover the *Difference...*



15W Product Dimension



22W Product Dimension



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND
SQUARE

IP20



*All sizes are in mm

CAT NO.	MODEL	POWER	OUTER DIA.	HEIGHT	CCT	LUMENS
OP-1230	EXOTIC PANEL	15W	110	65	WH/WW/NW	1500
OP-1231	EXOTIC PANEL	22W	125	65	WH/WW/NW	2200

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's

Body Color : Black, White




CURVE PANEL LIGHT ALUMINIUM


Discover the *Difference...*



12W Product Dimension



18W Product Dimension



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP20



*All sizes are in mm

CAT NO.	MODEL	POWER	OUTER DIA.	HEIGHT	CUTOUT	CCT	LUMENS
OP-1225	CURVE PANEL	12W	102	58	92	WH/WW/NW	1200
OP-1226	CURVE PANEL	18W	115	58	103	WH/WW/NW	1800

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's


Body Color : Black, White




2X2

HIGH WATTAGE LIGHT

Discover the *Difference...*



40W Product Dimension



TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE SQUARE	IP20	120°
-----	-------------	--------------	------	------

*All sizes are in mm

CAT NO.	MODEL	POWER	OUTER DIA.	CUTOUT	HEIGHT	COLOUR	LUMENS
OP-69	GLAXO PANEL	40W	600x600	580x580	30	4K/6.5K	4000

- 1 Suitable for Grid ceiling
- 2 Comfortable Glare free light
- 3 Sleek & seamless Profile adds to overall visual appearance
- 4 High Luminous efficiency



Anti-dazzle & Anti-leakage | Die-casting Panel Light | Easy Installation
Ultra Sleek Design | High Lumen Output | Super Elegant - Eco Friendly



MIRABELLA

SURFACE COB

Discover the *Difference...*



TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	35°	CRI >90
-----	----------------	----------------	------	-----	------------

REFLECTOR COLORS



CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-443	MIRABELLA	12W	75	110	3K/4K	1200
OP-450	MIRABELLA	18W	100	120	3K/4K	1800

- 1 Decorative Metallic Finishing
- 2 Durable & impact resistant Die-casting Aluminium Housing
- 3 Driver with Inbuilt Protection
- 4 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

Body Color : Black / White







LEXUS

Surface COB lights

Discover the *Difference...*

AVAILABLE REFLECTOR COLORS



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP20



CRI
>90

*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-786	LEXUS COB	6W	55	100	3K/4K	600
OP-787	LEXUS COB	12W	75	115	3K/4K	1200
OP-788	LEXUS COB	18W	95	130	3K/4K	1800

1

Decorative Metallic
Finishing

2

Durable & impact
resistant Die-casting
Aluminium Housing

3

Driver with
Inbuilt Protection

4

4 kV surge Protection
Bright, Uniform soft lighting


Body Color : Black

100% Proudly
Made in India



360°
SURFACE COB LIGHT

Discover the *Difference...*



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP20



CRI
>90

CRI
>90

*All sizes are in mm

CAT NO.	MODEL	POWER	OUTER DIA.	HEIGHT	COLOUR	LUMENS
OP-446	360° SURFACE	12W	70	115	3K/4K/6.5K	1200

Body Color : Black, White

- 1 Decorative Metallic Finishing
- 2 Durable & impact resistant Die-casting Aluminium Housing
- 3 Driver with Inbuilt Protection
- 4 4 kV surge Protection Bright, Uniform soft lighting

BEAMING
BRILLIANCE



PUNTO



360° Surface COB Light

Discover the *Difference...*

PUNTO
360° Surface COB Light

3-IN-1
COLOUR
CW / WW / NW

Available in:
Tri-Color



TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	35°	CRI >90
-----	----------------	----------------	------	-----	------------

*All sizes are in mm

CAT NO.	MODEL	POWER	OUTER DIA.	HEIGHT	COLOUR	LUMENS
OP-1319	PUNTO	6W	60	75	3K/4K/6.5K	600
OP-1320	PUNTO	12W	78	95	3K/4K/6.5K	1200

Body Color : Black, White

****ALL WATTAGE AVAILABLE IN 3IN1 COLOR - 6W, 12W**

- 1 Decorative Metallic Finishing
- 2 Durable & impact resistant Die-casting Aluminium Housing
- 3 Driver with Inbuilt Protection
- 4 4 kV surge Protection Bright, Uniform soft lighting

Available in
R/Gold and Black.



ADJUSTABLE COB SPOT LIGHT ALUMINIUM

Discover the *Difference...*



Product Dimension 7W



Product Dimension 12W



TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	45°	CRI >90
-----	----------------	----------------	------	-----	------------

*All sizes are in mm

CAT NO.	MODEL	POWER	OUTER DIA.	HEIGHT	CUTOUT	CCT	LUMENS
OP-1221	ADJUSTABLE COB	7W	90	88	70	WH/WW/NW	700
OP-1222	ADJUSTABLE COB	12W	62	93	52	WH/WW/NW	1200

- 1 High Quality Aviation Grade Aluminum
- 2 High Performance LED's Chip
- 3 4 kV surge Protection Bright, Uniform soft lighting
- 4 High Color Rendering index>80

Body Color : Black, White



TRINITY

Cob Downlight

Discover the *Difference...*

3-IN-1
COLOUR
CW / WW / NW

Available in:
Tri-Color



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP20



CRI
>90

OPTIONAL

DIMMABLE DRIVER

Price Available upon request

*All sizes are in mm

CAT NO.	MODEL	POWER	CUTOUT	OUTER DIA.	HEIGHT.	COLOUR	LUMENS
OP-160	TRINITY	6W	65	75	50	3K/4K/6.5K	600
OP-166	TRINITY	12W	75	85	70	3K/4K/6.5K	1200
OP-167	TRINITY	18W	85	110	70	3K/4K/6.5K	1800
OP-164	TRINITY	35W	125	150	90	3K/4K/6.5K	3500
OP-165	TRINITY	50W	150	170	115	3K/4K/6.5K	5000

1

High Quality Aviation
Grade Aluminum

2

High Performance
LED's Chip

3

4 kV surge Protection
Bright, Uniform soft lighting

4

High Color Rendering
index>80

****WATTAGE AVAILABLE IN 3IN1 COLOR - 6W,12W,18W**



GIMBAL


LED COB LIGHT

ALUMINIUM

Discover the *Difference...*



Product Dimension 35WX2



TECHNICAL DETAILS



AC
220-240V

SHAPE
SQUARE

IP20




CRI
>90

*All sizes are in mm

CAT NO.	MODEL	POWER	OUTER DIA.	HEIGHT	CUTOUT	CCT	LUMENS
OP-1223	GIMBAL COB	35WX2	260x140	100	240x115	WH/WW/NW	3500x2

- 1 High Quality Aviation Grade Aluminum
- 2 High Performance LED's Chip
- 3 4 kV surge Protection Bright, Uniform soft lighting
- 4 High Color Rendering index>80

Body Color : Black, White



35W Product Dimension

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP20



CRI
>90

*All sizes are in mm

CAT NO.	MODEL	POWER	CUTOUT	OUTER DIA.	HEIGHT.	COLOUR	LUMENS
OP-54 R	ZOOM	35W	145	165	120	3K/4K/6.5K	3500

- 1 High Quality Aviation Grade Aluminum
- 2 High Performance LED's Chip
- 3 4 kV surge Protection Bright, Uniform soft lighting
- 4 Clean & well Defined Beams



ZOOM GIMBAL

LED COB LIGHT


ALUMINIUM

Discover the *Difference...*



30WX2

Product Dimension



TECHNICAL DETAILS



AC
220-240V

SHAPE
SQUARE

IP20



CRI
>90

*All sizes are in mm

CAT NO.	MODEL	POWER	OUTER DIA.	HEIGHT	CUTOUT	CCT	LUMENS
OP-1224	ZOOM Gimbal	30WX2	280x140	110	260x125	WH/WW/NW	3000x2

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's

Body Color : Black, White



Royale
COB Light



Discover the *Difference...*

Available in:
Tri-Color

3-IN-1
COLOUR
CW / WW / NW



Available Royale
REFLECTOR COLORS



White Body white Ref.

TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	45°	CRI >90
-----	----------------	----------------	------	-----	------------




*All sizes are in mm

CAT NO.	MODEL	POWER	CUTOUT	OUTER DIA.	HEIGHT	COLOUR	LUMENS
OP-451	ROYALE B/W	6W	65	75	65	3K/4K/6.5K	600
OP-451	ROYALE B/W White Body white Ref.	6W	55	65	60	3K/4K/6.5K	600
OP-453	ROYALE B/W	12W	75	85	77	3K/4K/6.5K	1200
OP-459	ROYALE B/W	18W	85	95	95	3K/4K/6.5K	1800

- 1 Decorative Metallic Finishing
- 2 Durable & impact resistant Die-casting Aluminium Housing
- 3 Deep Recess for Visual Comfort
- 4 Long Life Span Uniform soft lighting

Body Color : Black, White

**** ALL WATTAGE AVAILABLE IN 3IN1 COLOR**



TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	45°	CRI >90
-----	----------------	----------------	------	-----	------------

*All sizes are in mm

CAT NO.	MODEL	POWER	CUTOUT	OUTER DIA.	HEIGHT	COLOUR	LUMENS
OP-1311	KETO COB	6W	55	67	55	3K/4K/6.5K	600
OP-1312	KETO COB	12W	60	70	50	3K/4K/6.5K	1200
OP-1313	KETO COB	18W	75	95	75	3K/4K/6.5K	1800

- 1 Decorative Metallic Finishing
- 2 Durable & impact resistant Die-casting Aluminium Housing
- 3 Deep Recess for Visual Comfort
- 4 Long Life Span Uniform soft lighting

KETO COB REFLECTOR AVAILABLE - R / GOLD AND BLACK
BODY COLOUR : BLACK / WHITE




BRUSHED GOLD
LED TRACKLIGHT

Discover the *Difference...*



100% Proudly
Made in India



Size : LxODxH (mm)
180x40x250mm

TECHNICAL DETAILS



AC
220-240V

SHAPE
SQUARE

IP20




65°

CRI
>90

*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE (LxODxH)	CCT	LUMENS
OP-1302	BRUSHED GOLD	15W	180X40X250	WW/NW	1500

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's



- Available in Reflector & Lens
- Body Colour : Black & White
- Available Colour : CW,NW,WW

*Discover the
Difference...*

180° Rotating
point

Topaz
TRACK LIGHT

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP20



*All sizes are in mm

CAT NO.	MODEL	POWER	LENGTH	OUTER DIA.	HEIGHT	COLOUR	LUMENS
OP-661	TOPAZ TRACK / SURFACE B/W	10W	100	50	120	3K/4K/6.5K	1000
OP-662	TOPAZ TRACK / SURFACE B/W	20W	135	60	140	3K/4K/6.5K	2000
OP-663	TOPAZ TRACK / SURFACE B/W	30W	150	80	160	3K/4K/6.5K	3000
OP-665	TOPAZ TRACK / SURFACE B/W	50W	180	90	180	3K/4K/6.5K	5000

1

Decorative Metallic
Finishing

2

Durable & impact
resistant Die-casting
Aluminium Housing

3





Modern, Unobtrusive
Design

4

4 kV surge Protection
Bright, Uniform soft lighting



THESE REFLECTOR COLOURS
ARE AVAILABLE IN 10W ONLY



TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE SQUARE	IP20	35°
-----	----------------	-----------------	------	-----

*All sizes are in mm

CAT NO.	MODEL	POWER	CUTOUT	OUTER DIA.	HEIGHT	COLOUR	LUMENS
OP-731	LASER BLD	2W	35x35	45x45	45	3K/4K/6.5K	200
OP-732	LASER BLD	4W	35x65	45x75	45	3K/4K/6.5K	400
OP-733	LASER BLD	10W	35x142	45x148	45	3K/4K/6.5K	1000
OP-736	LASER BLD	20W	35x287	45x295	45	3K/4K/6.5K	2000

- Decorative Metallic Finishing
- Durable & impact resistant Die-casting Aluminium Housing
- Modern, Unobtrusive Design
- 4 kV surge Protection Bright, Uniform soft lighting

Body Color : Black, White



Widely Application & Bright

Perfect add light for
anything or nightlight.

Counter

Shelf

Workbench



Led Cabinet Light 4w & 8w

Enjoy your life with unique thin design

with Sensor

TECHNICAL DETAILS

	AC 220-240V	SHAPE SQUARE	IP20	
---	----------------	-----------------	------	---

CAT NO.	MODEL	POWER	LENGTH	WIDTH.	HEIGHT	COLOUR
OP-362	CABINET	4W	1 FEET	23	8	3K/4K/6.5K
OP-363	CABINET	8W	2 FEET	23	8	3K/4K/6.5K
OP-364	CABINET SENSOR	4W	1 FEET	23	8	3K/4K/6.5K
OP-365	CABINET SENSOR	8W	2 FEET	23	8	3K/4K/6.5K

*All sizes are in mm



Decorative Metallic
Finishing



Durable & impact
resistant Die-casting
Aluminium Housing



Modern, Unobtrusive
Design





4 kV surge Protection
Bright, Uniform soft lighting

Discover the Difference...



Hanging LED Linear Light



CAT NO : OP-571
POWER : 36W (3382 Black-36W/15W Reflector)


CAT NO : OP-572
POWER : 48W (5070 White Black & Silver)

Size (36W) : 1180x33x82

Size (48W) : 1180x50x70

Color: 3K/4K/6.5K

*All sizes are in mm



TECHNICAL DETAILS



AC
220-240V

IP20



CRI
>90


CAT NO.	MODEL	POWER	SIZE	COLOUR	LUMEN
OP-1307	MAVERICK	54W	1200x75x50	3K/6.5K	5400
OP-1308	MAVERICK	80W	1200x100x50	3K/6.5K	8000

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

*All sizes are in mm

Available Colour : CW,WW


PRODUCTS TECHNICAL DRAWING & DIMENSIONS



MAVERICK WIDE
LED TUBE
LIGHT




100% Proudly
Made in India



TECHNICAL DETAILS



AC
220-240V

SHAPE
OVAL

IP20



CRI
>90


CAT NO.	MODEL	POWER	SIZE	COLOUR	LUMEN
OP-1328	VELLFIRE	8W	60x110	3K	800

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

Available Body Colour : Black

*All sizes are in mm

PRODUCTS TECHNICAL DRAWING & DIMENSIONS



VELLFIRE

HANGING LIGHT




100% Proudly
Made in India

TECHNICAL DETAILS

	AC 220-240V	SHAPE ROUND	IP20	 65°	CRI >90
CAT NO.	MODEL	POWER	SIZE	COLOUR	LUMEN
OP-1329	RICARO BLACK	12W	50x400	3K	1200
OP-1330	RICARO GOLD	12W	50x400	3K	1200


- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

Available Body Colour : Black / Gold


*All sizes are in mm



**PRODUCTS TECHNICAL
DRAWING & DIMENSIONS**



Ricaro
HANGING LIGHT



Size : ODxH (mm)
120x210mm

TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE ROUND	IP20	120°
-----	----------------	----------------	------	------

*All sizes are in mm

CAT NO.	MODEL	POWER	HEIGHT	SIZE	CCT	LUMENS
OP-1331	CRYPTONIC	10W	210	120x210	3000K	1000

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 110lm/W

Available Body Colour : Black



TECHNICAL DETAILS



AC
220-240V

IP20



*All sizes are in mm

CAT NO.	MODEL	POWER	HEIGHT	HEIGHT	CUTOUT	CCT	LUMENS
OP-1295	BED LIGHT	3W	6.2x10 cm	47.5 cm	110 (R)100(S)	3000K	300

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 110Lm/W

Body Color : Black



SPECTRE
LED WALL LIGHT

LUMIA
LED WALL LIGHT


Discover the *Difference...*




SPECTRE




LUMIA



SPECTRE 7W



LUMIA 3W



LUMIA 9W

TECHNICAL DETAILS



COB

AC
220-240V

SHAPE
ROUND

IP20



35°
SPECTRE



45°
LUMIA

CRI
>90

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-901	LUMIA	3W	35x56	90	3K/4K	300
OP-902	LUMIA	9W	48x95	120	3K/4K	900
OP-903	SPECTRE B/W	7W	50x116	120	3K/4K/6.5	700



- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

*All sizes are in mm



3-in-1 Timber WALL LIGHT

Discover the *Difference...*



Size : LxWxH (mm)
500x200x125mm

TECHNICAL DETAILS



AC
220-240V

IP20



CRI
>90

*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-1327	Timber	12W	500x200	125	3IN1	1200

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100lm/W

Available Colour : WW/CW/NW




STYLO MIRROR LED LIGHT


Discover the *Difference...*



Available in:
Tri-Color



STYLO 6W



STYLO 12W

STYLO MIRROR
LED LIGHT

3-IN-1
COLOUR
WW,CW,NW

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP20




CRI
>90

*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-574	STYLO	6W	335	110	3IN1	600
OP-575	STYLO	12W	500	110	3IN1	1200

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP20



*All sizes are in mm

CAT NO:	MODEL	POWER	WIDTH	HEIGHT	COLOUR	LUMENS
OP-122	MYSTIQUE	50W	420	350 mm	3K/6.5K	5500
OP-123	MYSTIQUE	100W	445	400 mm	3K/6.5K	11000
OP-124	MYSTIQUE	150W	470	450 mm	3K/6.5K	15500

- 1 High Quality white light with controlled light distribution
- 2 Corrosion resistant coating
- 3 Best in class SMD LED's Provide high lumen output, contributes upto 55% energy saving
- 4 Housing with good heat dissipation & increase of service life



SERIES

LED MAGNETIC LIGHT





SMD LINEAR LIGHT

TECHNICAL DETAILS

AC
220 - 240V

IP20

120°
SMD LINEAR

30°
COB GRILL


Housing: matt Black
Material: Aluminum

CAT NO.	MODEL	POWER	SIZE (LxWxH) mm	COLOUR	LUMENS
OP-791	SMD LINEAR LIGHT	6W	200x22x25	3K/4K	600
OP-792	SMD LINEAR LIGHT	12W	340x22x25	3K/4K	1200
OP-793	SMD LINEAR LIGHT	24W	678x22x25	3K/4K	2400
OP-794	COB GRILL LIGHT	6W	110x22x25	3K/4K	600
OP-795	COB GRILL LIGHT	10W	172x22x25	3K/4K	1000
OP-832	COB GRILL LIGHT	20W	344x22x25	3K/4K	2000

*All sizes are in mm

DC48V Safety Voltage
No Electric shock on touch

COB GRILL LIGHT





COB LINEAR LIGHT

TECHNICAL DETAILS

COB

AC
220 - 240V

IP20

30°
COB GRILL

45°
COB WALL WASHER LIGHT


CRI
>90

CAT NO.	MODEL	POWER	SIZE (LxWxH) mm	COLOUR	LUMENS
OP-796	COB LINEAR LIGHT	5W	130x22x42	3K/4K	500
OP-797	COB LINEAR LIGHT	10W	246x22x42	3K/4K	1000
OP-798	WALL WASHER LIGHT	6W	118x22x84	3K/4K	600
OP-799	WALL WASHER LIGHT	12W	226x22x84	3K/4K	1200

*All sizes are in mm

Housing: matt Black
Material: Aluminum

COB WALL WASHER LIGHT






MAGNETIC IMPERIAL LIGHT


MAGNETIC IMPERIAL LIGHT

TECHNICAL DETAILS

	AC 220 - 240V	IP20		Housing: matt Black Material: Aluminum	CRI >90
CAT NO.	MODEL	POWER	SIZE (LxWxH) mm	COLOUR	LUMENS
OP-800	COB IMPERIAL	8W	110x22x42	3K/4K	800
OP-801	COB IMPERIAL	16W	218x22x42	3K/4K	1600



*All sizes are in mm



MAGNETIC GLOBE LIGHT

TECHNICAL DETAILS



AC
220 - 240V



IP20



Housing: matt Black
Material: Aluminum

CAT NO.	MODEL	POWER	SIZE (LxWxH) mm	COLOUR	LUMENS
OP-802	GLOBE LIGHT	24W	250x250	3K/4K	2400
OP-803	NOVA TRACK	12W	90x36	3K/4K	1200

MAGNETIC NOVA TRACK LIGHT



*All sizes are in mm



MAGNETIC TRACK LIGHT RECESSED AND SURFACE

MAGNETIC HANGING SPOT LIGHT RECESSED AND SURFACE

TECHNICAL DETAILS

HANGING SPOT LT.



AC
220 - 240V

IP20



25°
TRACK LIGHT



24°
HANGING SPOT




90°
HANGING SPOT

CRI
>90

CAT NO.	MODEL	POWER	SIZE (LxWxH) mm	COLOUR	LUMENS
OP-804	MAG. TRACK LIGHT	7W	36x90x125	3K/4K	700
OP-805	MAG. TRACK LIGHT	12W	48x150x185	3K/4K	1200
OP-806	HANGING SPOT LT.	7W	54x290	3K/4K	700
OP-807	HANGING SPOT LT.	9W	39x290	3K/4K	900

Housing: matt Black
Material: Aluminum



*All sizes are in mm





MAGNETIC LIGHT DRIVER

TECHNICAL DETAILS

AC 220 - 240V	IP20	Housing: matt Black Material: Aluminum
------------------	------	---

CAT NO.	MODEL	OUTPUT POWER	SIZE (LxWxH) mm	HOUSING / MATERIAL
OP-808	MAG. DRIVER	100W	L-200xW-22xH-38	MATT BLACK/ ALUMINIUM
OP-809	MAG. DRIVER	200W	L-280xW-22xH-38	MATT BLACK/ ALUMINIUM



*All sizes are in mm



Discover the Difference...

MAGNETIC LIGHT ACCESSORIES



OP-821
BENDABLE CONNECTOR 4 PIN
VOLTAGE : AC220V. DC48V
HOUSING : MATT BLACK
MATERIAL : COPPER+PC
SIZE: 25 CM WIRE



OP-824
END CONNECTOR 2 PIN
VOLTAGE : AC220V. DC48V
HOUSING : MATT BLACK
MATERIAL : COPPER+PC
SIZE: 33 CM WIRE



OP-822
END CONNECTOR 4 PIN
VOLTAGE : AC220V. DC48V
HOUSING : MATT BLACK
MATERIAL : COPPER+PC
SIZE: 33 CM WIRE



OP-825
BENDABLE CONNECTOR 2 PIN
VOLTAGE : AC220V. DC48V
HOUSING : MATT BLACK
MATERIAL : COPPER+PC
SIZE: 25 CM WIRE



OP-823
SHORT CONNECTOR 4 PIN
VOLTAGE : AC220V. DC48V
HOUSING : MATT BLACK
MATERIAL : COPPER+PC
SIZE: 15 CM WIRE



OP-826
SHORT CONNECTOR 2 PIN
VOLTAGE : AC220V. DC48V
HOUSING : MATT BLACK
MATERIAL : COPPER+PC
SIZE: 15 CM WIRE

MAGNETIC LIGHT ACCESSORIES



OP-827
FRAME PATTI
MATERIAL : STAINLESS STEEL
SAME AS PICTURE



OP-830
2 METER TRACK
HOUSING : MATT BLACK
MATERIAL ALUMINUM ALLOY
SIZE (mm) : L 2000 X H 34.5 T 1.5



OP-828
VERTICAL CORNER
HOUSING : MATT BLACK
MATERIAL ALUMINUM ALLOY
SAME AS PICTURE



OP-831
1 METER TRACK
HOUSING : MATT BLACK
MATERIAL ALUMINUM ALLOY
SIZE (mm) : L 1000 X H 34.5 T 1.5



OP-829
CORNER JOINTER
HOUSING : MATT BLACK
MATERIAL ALUMINUM ALLOY
SAME AS PICTURE


OUTDOOR LED LIGHTING SERIES...





High Finish Premium
JIGSAW 6W
OUTDOOR LED LIGHT

Discover the *Difference...*



TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE ROUND	IP65	 120°
-----	----------------	----------------	------	---

*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-891	JIGSAW	6W	100	105	3K	600

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100lm/W


100% Proudly
Made in India



WAVE

LED WALL LIGHT

Discover the Difference...

TECHNICAL DETAILS



AC
220-240V

SHAPE
SQUARE

IP65





CRI
>90

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-1212	WAVE	10W	215	75	3K	100L/W
OP-1213	WAVE	18W	275	102	3K	100L/W

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

*All sizes are in mm





Vedica

UP- DOWN LIGHTER

Discover the Difference...



100% Proudly
Made in India

TECHNICAL DETAILS

COB

AC
220-240V

SHAPE
SQUARE

IP65



CRI
>90

CAT NO.	MODEL	POWER	SIZE	COLOUR	LUMEN
OP-1289	VEDICA	6W	160x50x45	3K	100L/W

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100lm/W


Available Colour : 3000K

Available Body Colour : Black / Gold

*All sizes are in mm

IP-65 | SUITABLE FOR
OUTDOOR & INDOOR

**PRODUCTS TECHNICAL
DRAWING & DIMENSIONS**



Size : LxWxH mm
160x50x45mm

Vedica
UP- DOWN LIGHTER



TECHNICAL DETAILS

COB

AC
220-240V

SHAPE
SQUARE

IP65

65°

CRI
>90


CAT NO.	MODEL	POWER	SIZE	COLOUR	LUMEN
OP-1337	REFLEX	12W	70x150	3K	1200

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100lm/W

Available Colour : 3000K
Available Body Colour : Black / Gold

*All sizes are in mm

IP-65 | SUITABLE FOR OUTDOOR & INDOOR | PRODUCTS TECHNICAL DRAWING & DIMENSIONS



Discover the Difference...

ORLO®



TRIFECTA
LED BULKHEAD LIGHT

TRIFECTA
LED BULKHEAD LIGHT



PICASSO
LED OUTDOOR LIGHT





TIKKO
LED OUTDOOR LIGHT

LED BULKHEAD LIGHT

TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE SQUARE	IP65	120°
-----	----------------	-----------------	------	------

CAT NO.	MODEL	POWER	SIZE (LXW)	HEIGHT	COLOUR	LUMENS
OP-893	TRIFECTA	15W	23X105	40	3K	1500
OP-892	PICASSO	12W	260X125	115	3K	1200
OP-745	TIKKO	12W	190X110	70	3K	1200



- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100lm/W

*All sizes are in mm




TECHNICAL DETAILS

SMD

AC
220-240V

IP65

120°



CRI
>90

CAT NO.	MODEL	POWER	SIZE	COLOUR	LUMEN
OP-1300	ASTRA	6W	80x80	3K	600
OP-1301	ASTRA	12W	80x135	3K	1200

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

*All sizes are in mm

PRODUCTS DIMENSION




astra
1-WAY AND 2 WAY
WALL LIGHT




AUSTIN

OUTDOOR UP-DOWN LIGHTER

Discover the *Difference...*



12W



24W

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP65



CRI
>90

*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE	COLOUR	LUMEN
OP-1210	AUSTIN SINGLE	12W	90x155	3K	1200
OP-1211	AUSTIN DOUBLE	24W	90x255	3K	2400

1

Modern, Unobtrusive Design

2


Designed for the Comfort of your eyes

3

Driver with Inbuilt Protection



Discover the *Difference...*



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP65



*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE	COLOUR	LUMEN
OP-1204	MOON WALL LIGHT	12W	180x45	3K	1200

1

Modern, Unobtrusive Design

2


Designed for the Comfort of your eyes

3

Driver with Inbuilt Protection

4

High performance LED's with 90Lm/W



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP65



*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE (LXW)	HEIGHT	COLOUR	LUMEN	LUMEN FOR RGB
OP-448	OMEGA 4 WAY	6W(1.5x4)	77x77	55	3K/RGB	100L/W	70L/W

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 90Lm/W

ORLO®



100% Proudly
Made in India



IP65

TECHNICAL DETAILS

COB

AC
220-240V

SHAPE
ROUND

IP65



35°

CRI
>90

CAT NO.	MODEL	POWER	SIZE	COLOUR	LUMEN
OP-1325	QUATTRO	6W	101x50	3K	100L/W
OP-1326	QUATTRO	6W	101x50	RGB	80L/W


- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100lm/W

*All sizes are in mm

IP-65 | SUITABLE FOR
OUTDOOR & INDOOR

**PRODUCTS TECHNICAL
DRAWING & DIMENSIONS**


**PRODUCTS TECHNICAL
DRAWING & DIMENSIONS**




Size : LxWxH (mm)
101x101x50mm




QUATTRO
WALL LIGHT




10W



8W



6W



3W

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND


IP65



RGB
70Lm/W

CAT NO.	MODEL	POWER	SIZE (LXW)	HEIGHT	COLOUR	LUMEN
OP-741	2 WAY LED	3W	76x76	46	3K/RGB	270
OP-742	4 WAY LED	6W	127x76	46	3K/RGB	540
OP-743	6 WAY LED	8W	178x76	46	3K/RGB	720
OP-744	8 WAY LED	10W	230x76	46	3K/RGB	900

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 90Lm/W






QUAD-PRO

4-WAY LED BEAM LIGHT

Discover the *Difference...*



TECHNICAL DETAILS



SMD

AC
220-240V

SHAPE
SQUARE

IP65



60°

*All sizes are in mm



CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-547	QUAD PRO	6W	100x100	50	3K	540

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with Chip



SURFACE RECTANGULAR
HIGH lighter
LED WALL LIGHT

Discover the *Difference...*



TECHNICAL DETAILS



AC
220-240V

SHAPE
RECTANGLE

IP65




*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-1205	SR. RECTANGULAR	4W	90	60	3K	400
OP-1206	SR. RECTANGULAR	8W	150x70	70	3K	800

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4



WITH MOTION SENSOR



TECHNICAL DETAILS



AC
220-240V

SHAPE
RECTANGLE

IP65



*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-398	MICRA SENSOR	3W	85	85	3K/6.5K	300

1

Modern, Unobtrusive Design

2


Designed for the Comfort of your eyes

3

Driver with Inbuilt Protection

4

DUKE



GEM



COMPASS



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP20




*All sizes are in mm

CAT NO.	MODEL	POWER	OUTER DIA.	HEIGHT	CUTOUT	CCT	LUMENS
OP-1232	DUKE	3W	60	55	45	WW	300
OP-1233	GEM	3W	60	55	50	WW	300
OP-1234	COMPASS	3W	60	60	50	WW	300

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's


LED STEP LIGHT (ALUMINUM)

Product Dimension




DUKE

Product Dimension



GEM

Product Dimension



COMPASS




RUGGED

LED PATH LIGHT
1-WAY/2 WAY

HONEY-COMB

In-Ground Uplighter
IP-67

IP68



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP67
IP68




CRI
>90


*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE (ODxH).	CCT	LUMENS
OP-1302	HONEYCOMB	3W	95x78	WW	300
OP-1305	RUGGED 1 WAY	7W	95x78	WW	700
OP-1306	RUGGED 2 WAY	7W	95x78	WW	700

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's



Size : ODxH (mm)
95mmx78mm





MULTI-PURPOSE
HIGH lighter 3W
LED PUCK LIGHTS

Multi-purpose Light 3W

Small design, Fits anywhere



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP65




CRI
>90

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-748	MULTIPURPOSE	3W	60	16	3K /6.5	300

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W


Products
Size



*All sizes are in mm



OUTDOOR LED TRACK LIGHT



TECHNICAL DETAILS



AC
220-240V

SHAPE
SQUARE

IP65



*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-1209	360° OUTDOOR	9W	118	165	3K	900


1 Modern, Unobtrusive Design

2 Full translucent cover providing homogeneous light effect

3 Driver with Inbuilt Protection

4 High performance LED's with 100Lm/W

Discover the Difference...



High Flexibility

Real silicone material, more flexible than PVC




FLEXIBLE PROFILE

CAT NO.	MODEL	USED WITH	PACKING CASE
OT-43	FLEXIBLE PROFILE 12x12 mm	120 Led per Mtr	20 Meter
OT-44	FLEXIBLE PROFILE 16x16 mm	240 Led per Mtr	20 Meter
OT-49	FLEXIBLE PROFILE 20x20 mm	240 Led per Mtr	20 Meter
OT-50	FLEXIBLE PROFILE 30x20 mm	240 Led per Mtr	20 Meter

- M.R.P. Without LED & Without Driver
- Each meter includes : ▪ End Caps 2 Nos & 2 Nos Clip per Mtr.
- Available in 20 meter.

Products Size



IP-66

High Flexibility

Real silicone material, more flexible than PVC

Flexible Outdoor WALL WASHER STRIP

5 Mtr (48 Led / Mtr)

MODEL: OP-1304

INPUT VOLTAGE : 185-265V

LED: 48 LED MTR

Available Colour : WW

Please note:-


This is 24v Wall Washer Strip and it requires a 24v driver to work

YSD 24v Power Supply
WATER PROOF LED DRIVER





SURFACE
ROUND WALL LIGHT




COBRA
Led Wall Light

Led Wall Light

TECHNICAL DETAILS


	AC 220-240V	SHAPE ROUND	IP65		*All sizes are in mm	
--	----------------	----------------	------	---	----------------------	--

CAT NO.	MODEL	POWER	OUTER DIA	HEIGHT	COLOUR	LUMENS
OP-1207	SURFACE RD	3W	100	50	3K	300
OP-1208	SR. COBRA	4W	115	28	3K	400

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100lm/W




COBRA SURFACE



115 mm



SURFACE ROUND




100 mm


Garden Light




Narrow Beam
Garden Light




15W



7W



3W



10W

TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP65



CRI
>90

*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE (LxW)	HEIGHT	COLOUR	LUMENS
OP-74	Garden Lt	15W	140X90	260	3K	1500
OP-75	Garden Lt	7W	90X50	240	3K	700
OP-397	Narrow Beam	3W	40	88	3K/6.5K	300
OP-394	Narrow Beam	10W	70	130	6.5K	1000


- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W




BURIAL

Led Light


Discover the *Difference...*



Burial 3W



Burial 6W



Burial 12W

TECHNICAL DETAILS



I/P Voltage
220-240V AC

SHAPE
ROUND

IP66



*All sizes are in mm

CAT NO.	MODEL	POWER	CUTOUT	SIZE (ODXH)	COLOUR	LUMEN
OP-1271	BURIAL	3W	95	100x90	3K	100L/W
OP-1272	BURIAL	6W	115	120x90	3K	100L/W
OP-1273	BURIAL RGB	6W	115	120x90	RGB	70L/W
OP-1274	BURIAL	12W	155	180x90	3K	100L/W
OP-1275	BURIAL RGB	12W	155	180x90	RGB	70L/W

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W



IP68

RGB
with remote



Under Water Swimming Fountain Light

TECHNICAL DETAILS



DC-24V



SHAPE
ROUND

IP68



*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE (ODxH)	COLOUR	LUMEN
OP-1285	UNDER WATER FOUNTAIN LIGHT	6W	130x75	3K	100L/W
OP-1286	UNDER WATER FOUNTAIN LIGHT RGB With Remote	6W	130x75	RGB	70L/W
OP-1287	UNDER WATER SPOT LIGHT	12W	160x85	3K	100L/W
OP-1288	UNDER WATER FOUNTAIN LIGHT RGB With Remote	12W	160x85	RGB	70L/W




- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100lm/W




IP68


Under Water Swimming Pool Spot Light



12W



6W



3W

TECHNICAL DETAILS



DC
DC-24V

SHAPE
ROUND

IP68



*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE (ODXH)	COLOUR	LUMEN
OP-1276	UNDER WATER SPOT LIGHT	3W	82x140	3K	100L/W
OP-1277	UNDER WATER SPOT LIGHT	6W	120x140	3K	100L/W
OP-1278	UNDER WATER SPOT LIGHT RGB With Remote	6W	120x140	RGB	70L/W
OP-1279	UNDER WATER SPOT LIGHT	12W	160x215	3K	100L/W
OP-1280	UNDER WATER SPOT LIGHT RGB With Remote	12W	160x215	RGB	70L/W

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100lm/W



DMX Controller for RGB led light



RGB LED Light Controller, 24 Channel Advanced Chip
LED DMX Decoder Multiple Dimming DC 5-24V Digital Display


DMX512 decoder and DMX system connection:

DMX512 Console

PC DMX512 Console

Note 1) 2) 3)

The decoder should be connected to two power supplies. When the power supply is sufficient, the two power input ports of the decoder can share the same power supply. The power supply ① controls Output 5-8, and the power supply ② controls Output 1-4.



MODEL NO: OP-1214
D M X Controller
SIZE :
L-180mm, W-78mm, H-19mm

*All sizes are in mm

CROWN
GATE LIGHT

Parabolic
GATE LIGHT


UNITY
GATE LIGHT





CROWN




PARABOLIC



UNITY GATE LIGHT



UNITY GATE LIGHT




TECHNICAL DETAILS

IP65

*All sizes are in mm


CAT NO.	MODEL	POWER/BASE	SIZE
OP-543	PARABOLIC	E27	325x280
OP-549	UNITY SMALL	E27	165x165
OP-544	UNITY BIG	E27	270x270
OP-548	CROWN	12W	280x300

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 High Quality Aviation Grade Aluminum
- 4 Non-yellowing & high efficiency polycarbonate diffuser




Body Color: Matt Black | Graphite Gray


ASTA
LED BOLLARD LIGHT



GATEWAY
LED BOLLARDS



LED BOLLARDS
KREMLIN



POLE LIGHT

Led BOLLARDS Light

TECHNICAL DETAILS

*All sizes are in mm

CAT NO.	MODEL	WATT	SIZE/HEIGHT	COLOUR
OP-552	ASTA	12W	10"	3K
OP-553	ASTA	12W	20"	3K
OP-554	ASTA	12W	30"	3K
OP-1215	GATEWAY	12W	12"	3K
OP-1216	GATEWAY	12W	25"	3K
OP-558	KREMLIN	12W	10"	3K
OP-559	KREMLIN	12W	20"	3K
OP-560	KREMLIN	12W	30"	3K
OP1203	POLESTAR	24W	120"	3K

- 1 Modern, Unobtrusive Design
- 2 Full translucent cover providing homogeneous light effect
- 3 High Quality Aviation Grade Aluminum
- 4 Non-yellowing & high efficiency polycarbonate diffuser

Body Color: Matt Black | Graphite Gray



ASTA



GATEWAY



KREMLIN



POLE STAR



LED BOLLARDS LIGHT

TECHNICAL DETAILS

*All sizes are in mm

CAT NO.	MODEL	WATT	SIZE/HEIGHT	COLOUR
OP-555	SIGNATURE	12W	10"	3K
OP-556	SIGNATURE	12W	20"	3K
OP-557	SIGNATURE	12W	30"	3K
OP-1217	MOON	12W	10"	3K
OP-1218	MOON	12W	20"	3K
OP-1219	MOON	12W	30"	3K
OP-1201	UREKA	12W	10"	3K
OP-1202	UREKA	12W	20"	3K
OP-1235	ARCH	12W	10"	3K
OP-1236	ARCH	12W	20"	3K

Body Color: Matt Black | Graphite Gray







RGB

Discover the *Difference...*

Flood Light with remote



50W



100W

TECHNICAL DETAILS



Smd

AC
220-240V

IP66



120°

*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE (LxW)	HEIGHT	COLOUR	LUMEN
OP-1251	RGB FLOOD	50W	230x195	160	RGB	70L/W
OP-1252	RGB FLOOD	100W	290x245	175	RGB	70L/W

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100Lm/W

ROUND DUAL FLOOD- HIGHBAY



TECHNICAL DETAILS



AC
220-240V

SHAPE
ROUND

IP66



*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMEN
OP-1257	ROUND DUAL	50W	180	140	3K/4K/6.5K	5000
OP-1258	FLOOD/HIGHBAY	100W	235	150	3K/4K/6.5K	10000
OP-1259	LIGHT	200W	345	225	3K/4K/6.5K	20000

1

Modern, Unobtrusive Design

2


Designed for the Comfort of your eyes

3


Driver with Inbuilt Protection

4


High performance LED's with 100Lm/W



Flood / Highbay -50




Flood / Highbay -100



Flood / Highbay -200



ANTI-GLARE STADIUM LIGHT



TECHNICAL DETAILS



AC
220-240V


IP65



*All sizes are in mm

CAT NO.	MODEL	POWER	SIZE (LxW)	HEIGHT	COLOUR	LUMEN
OP-1260	Stadium light	100W	-	-	3K/6.5	1000
OP-1261	Stadium light	400W	430x430	90	3K/6.5	40000
OP-1262	Stadium light	1000W	-	-	3K/6.5	100000

- 1 Modern, Unobtrusive Design
- 2 Designed for the Comfort of your eyes
- 3 Driver with Inbuilt Protection
- 4 High performance LED's with 100lm/W



TECHNICAL DETAILS



AC
220-240V

IP66



*All sizes are in mm

CAT NO:	MODEL	POWER	SIZE	HEIGHT	COLOUR	LUMENS
OP-379	HIGH BEAM	150W	285	170	3K/6.5K	16500

1

High Performance LED's

2

Pressure Die cast housing for good heat dissipation & increase of service life

3


High Surge Protection

4

Corrosion resistant coating



Salient Feature
Automatic Stair lighting control
Step by step lights
AC DC lights are suitable
Stair Light controller



SENSOR STAIR LIGHT CONTROLLER

Automatic Staircase
LED Light Controller 32 Steps
with Human Movement Sensor



Smart sensor

Sensor distance: 1-3m, 120 degree



MODEL NO: OP-1214

SENSOR STEP LIGHT

SIZE :



L-180mm, W-78mm, H-19mm

*All sizes are in mm



WALL WASHER

Discover the *Difference...*



TECHNICAL DETAILS

AC
220-240V


IP65

*All sizes are in mm

CAT NO.	MODEL	POWER	OUTER DIA (LENGTH)	COLOUR	LUMENS
OP-717	WALL WASHER	36W	1000	3K	100L/W
OP-718	WALL WASHER WITH REMOTE	36W	1000	RGB	70L/W

LED DIMMABLE STRIP DRIVER

Discover the *Difference...*



TECHNICAL DETAILS

AC
220-240V | IP20

*All sizes are in mm

CAT NO:	MODEL	VOLT/AMP	POWER	SIZE
OP-724	DIMMABLE DRIVER	12V-5Amp	60W	145x48x30
OP-725	DIMMABLE DRIVER	12V-10Amp	120W	165x58x30
OP-726	DIMMABLE DRIVER	12V-16Amp	200W	180x63x30




YSD 24v Power Supply

WATER PROOF LED DRIVER

Discover the *Difference...*

IP-67



TECHNICAL DETAILS

AC
220-240V

IP67

*All sizes are in mm

CAT NO:	MODEL	VOLT/AMP	POWER	SIZE
OP-1282	YSD- Waterproof	24V	60W	-
OP-1283	YSD- Waterproof	24V	100W	-
OP-1284	YSD- Waterproof	24V	200W	-



Projects Led Profile

Discover the Difference...

Cat No: OT-10

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

TRIANGULAR 1616

SIZE : 16 x 16 MM

PCB AREA : 10MM



For Dotless Appearance Use 120 LED Per Meter or Above


Cat No: OT-02

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

MASTER 1707

SIZE : 17 x 07 x 17 MM

PCB AREA : 10 MM



For Dotless Appearance Use 240 LED Per Meter or Above


Cat No: OT-03

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

COLLAR 1707

SIZE : 24 x 07 x 17 MM

PCB AREA : 10 MM



For Dotless Appearance Use 240 LED Per Meter or Above



Cat No: OT-07

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

DEEP 1712

SIZE : 17 x 12 x 17 MM

PCB AREA : 12 MM



For Dotless Appearance Use 120 LED Per Meter or Above



Cat No: OT-08

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

DEEP COLLAR 1712

SIZE : 24 x 12 x 17 MM

PCB AREA : 12 MM



For Dotless Appearance 120 LED Per Meter or Above


Cat No: OT-11

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

2512 COLLARLESS

SIZE : 24 x 12 x 24 MM

PCB AREA : 18 MM



For Dotless Appearance 120 x 2 Line LED Per Meter or Above

*All sizes are in mm

Projects Led Profile

Discover the Difference...


Cat No: OT-12

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

2512 COLLAR

SIZE : 24 x 12 x 24 MM

PCB AREA : 18 MM



For Dotless Appearance 120 x 2 Line LED Per Meter or Above




Cat No: OT-15

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

3535 COLLARLESS

SIZE : 35 x 35 MM

PCB AREA : 30 MM



For Dotless Appearance 120 x 2 Line LED Per Meter or Above



Cat No: OT-16

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

3535 COLLAR

SIZE : 35 x 45 x 35 MM

PCB AREA : 30 MM



For Dotless Appearance Use 120 x 2 Line LED Per Meter or Above




Cat No: OT-18

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

5035 COLLAR

SIZE : 50 x 35 x 65 MM

PCB AREA : 40 MM



For Dotless Appearance Use 120 x 2 Line LED Per Meter or Above




Cat No: OT-17

Made out of Extruded Aluminum Suitable to Put LED Flexible Strip Inside

5035 COLLARLESS

SIZE : 50 x 35 x 50 MM

PCB AREA : 40 MM



For Dotless Appearance Use 120 x 2 Line LED Per Meter or Above



PROJECT LED PROFILE

*All sizes are in mm



Discover the Difference...



Widest Range Of Outdoor Led Lighting Products



**100% Proudly
Made in India**

Connect with us on



[www.orloindia.com/
orloed](http://www.orloindia.com/orloed)

Follow us on



[www.twitter.com/
orlo.india](http://www.twitter.com/orlo.india)

You Tube Orloed



Contact Us



Regd. Address: New Delhi

K-11, Udyog Nagar Industrial Area, Peera Garhi
Near Peera Garhi Metro Station, Rohtak Road
New Delhi-110041

Find Us



E-mail: info@orloindia.com || Website : www.orloindia.com

Toll Free Number: 1800 103 4199



PROUDLY MADE IN
INDIA