ORLO®

Scan QR Code
for more Detalis

Discover the Difference...

Led Lighting
Product Catalogue
August 2024

About Us...

Designed by world class international lighting designers, ORLO energy efficient LED lighting solutions are a leap ahead of the market. Our aim at ORLO is to maintain a competitive advantage by innovating and bringing the best in-class technology and latest designs to our target market.

We are a distribution & dealer network driven organization with a strong India-wide distributor & dealer network of over 6000+ outlets.

Today ORLO is one of the fastest growing consumer durable brands in India. Registered under ORLO Electronics Pvt Ltd, ORLO has been at the forefront of transforming the electrical & lighting industry in India through innovation and industry best pre-post sale services, warranty and support.

ORLO signifies quality, consistency and innovation. ORLO LED Lighting solutions come with industry leading on-site replacement warranty*.

*On-site Replacement is only provided directly by the company in Delhi/NCR and by authorised distributors & dealers in rest of India..

SN.	PRODUCTS	PAGE NO.
1	Glide Panel	5
2	Integrated Panel	6
3	Lumix Panel	7
4	Cliq Panel	8
5	Pinnacle Panel	9
6	LEO-2.0 Panel	10
7	Biscuit, Skylite surface	11
8	Pong Downlight	12
9	Conceal Light	13
10	Integrated JB Box	14
11	Led Spot Light	15
12	Led Spot Light	16
13	Prima / Gimbal	17
14	Prism	18
15	Logica Cob	19
16	Mirage Cob	20
17	Tronic / Topaz	21
18	Amber / Sutra	22
19	Mirror Light	23
20	Led Tube light	24

SN.	PRODUCTS	PAGE NO.
21	Strip Light	25
22	Led Bollards / Gate Light	26
23	Garden Light	27
24	Up down lighter	28
25	PC Up down lighter	29
26	Led Updownlighter	30
27	Bulkhead Light	31
28	Micra Wall Light	32
29	Led Flood Light	33-35
30	Street Light	36
31	UFO Highbay / Lowbay	37
32	Project Catalogue	38

ORLO®

Products Index

All products are compliant under
BIS (Bureau of Indian Standards)

Indoor Lighting Series...

glide
Led Backlit Panels

Discover the Difference...



TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE ROUND SQUARE	IP20	120°

CAT NO.	MODEL	POWER	M.R.P.	OUTER DIA.	CUTOUT	CCT	LUMENS	STD PACK
OP-881	GLIDE BACKLIT	8W	360.00	130	100	3K/4K/6.5K	800	40
OP-882	GLIDE BACKLIT	15W	615.00	170	145	3K/4K/6.5K	1500	20
OP-883	GLIDE BACKLIT	10W	360.00	130	100	3K/4K/6.5K/R/G/B/P	1000	40

1. Modern, Unobtrusive Design
2. Full translucent cover providing homegeneous light effect
3. Driver with Inbuilt Protection
4. High performance LED's with 100Lm/W

*All sizes are in mm

Integrated Slimline Panel

Discover the Difference...

high lumen

OC-13 RG/SG	OC-14 RG/SG	OC-15 RG/SG	OC-17 RG/SG
Model: 3W Price: 105.00	Model: 6W Prices: 115.00	Model: 12W Prices: 180.00	Model: 18W Prices: 230.00

Optional: Surface Mounting Ring
Available for 3W/6W/12W/18W Panels
both square and round



TECHNICAL DETAILS

SMD | AC 220-240V | SHAPE ROUND SQUARE | IP20 | 120°

CAT NO.	MODEL	POWER	M.R.P.	OUTER DIA.	CUTOUT	COLOUR	LUMENS	STD PACK
OC-13 R/S	INTEGRATED	3W	360.00	82x82	65x65	3K/4K/6.5K	300	100
OC-14 R/S	INTEGRATED	6W	420.00	120x120	100x100	3K/4K/6.5K	600	60
OC-15 R/S	INTEGRATED	12W	680.00	170x170	150x150	3K/4K/6.5K	1200	40
OC-17 R/S	INTEGRATED	18W	975.00	220x220	195x195	3K/4K/6.5K	1800	20

1. High Performance LED's with 100 Lm/w
2. High Quality Poly Carbonate Body
3. Wide Voltage Range & surge Protection
4. Good Colour Quality with CRI>80

*All sizes are in mm

LUMIX Panel

LED Backlit Panel

Discover the Difference...

OP-386 RG/SG	OP-387 RG/SG	OP-388 RG/SG
Model: 8W Price: 115.00	Model: 15W Price:195.00	Model: 22W Price: 240.00

Optional: Surface Mounting Ring

Available for: 8W,15W & 22W Backlit Panel



TECHNICAL DETAILS

SMD | AC 220-240V | SHAPE SQUARE ROUND | IP20 | 120°

CAT NO.	MODEL	POWER	M.R.P.	OUTER DIA.	CUTOUT	COLOUR	LUMENS	STD PACK
OP-381 R/S	LUMIX	5W	310.00	80x80	60x60	3K/4K/6.5K	500	60
OP-382 R/S	LUMIX	8W	355.00	116x116	95x95	3K/4K/6.5K	800	40
OP-385 R/S	LUMIX	12W	500.00	145x145	125x125	3K/4K/6.5K	1000	40
OP-383 R/S	LUMIX	15W	605.00	165x165	155x155	3K/4K/6.5K	1500	40
OP-384 R/S	LUMIX	22W	975.00	220x220	200x200	3K/4K/6.5K	2200	20
OP-389 R/S	LUMIX 3IN1	8W	465.00	116x116	95x95	3IN1	800	40
OP-390 R/S	LUMIX 3IN1	15W	835.00	165x165	145x145	3IN1	1500	40

LUMIX LED Backlit Panel | **3-IN-1 COLOUR**
CW / WW / NW

*All sizes are in mm

CLIQ

Led Backlit Panel

Discover the Difference...



TECHNICAL DETAILS

SMD | AC 220-240V | SHAPE ROUND | IP20 | 120°

12W Cliq SPECIALLY MADE FOR FAN BOX

CAT NO.	MODEL	POWER	M.R.P.	OUTER DIA.	CUTOUT	COLOUR	LUMENS	STD PACK
OP-1333	CLIQ BACKLIT	6W	270.00	107	70	3K/4K/6.5K	600	40
OP-1334	CLIQ BACKLIT	12W	345.00	130	100	3K/4K/6.5K/R/G/B/P	1200	40
OP-1335	CLIQ BACKLIT	18W	460.00	148	120	3K/4K/6.5K	1800	20
OP-1336	CLIQ BACKLIT	24W	635.00	176	142	3K/4K/6.5K	2400	20

1. High Quality Polycorbonate Body
2. High performance LED's with 100Lm/W
3. Driver with Inbuilt Protection
4. 4 kV surge Protection

*All sizes are in mm

PINNACLE

Surface Panel Light

Discover the Difference...

Rimless Surface Panel
Poly Carbonate Body

TECHNICAL DETAILS

SMD | AC 220-240V | SHAPE SQUARE ROUND | IP20 | 120°

CAT NO.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMENS	STD PACK
OP-841 R/S	PC. SURFACE	6W	385.00	90x90x25	3K/4K/6.5K	600	60
OP-842 R/S	PC. SURFACE	12W	580.00	120x120x25	3K/4K/6.5K	1200	40
OP-843 R/S	PC. SURFACE	18W	885.00	155x155x25	3K/4K/6.5K	1800	20

1. High Quality Polycorbonate Body
2. High performance LED's with 100Lm/W
3. Driver with Inbuilt Protection
4. 4 kV surge Protection

*All sizes are in mm

LEO-2
SLIMLINE PANEL

ORLO®

Discover the Difference...

TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE SQUARE ROUND	IP20	120°

CAT NO.	MODEL	POWER	M.R.P.	CUTOUT	OUTER DIA.	COLOUR	LUMENS	STD PACK
OC-71	LEO -2 SL.PANEL	6W	410.00	106	120	3K/4K/6.5K	600	60
OC-72	LEO -2 SL.PANEL	12W	590.00	132	150	3K/4K/6.5K	1200	40
OC-73	LEO -2 SL.PANEL	15W	680.00	151	170	3K/4K/6.5K	1500	40
OC-74	LEO -2 SL.PANEL	18W	890.00	176	190	3K/4K/6.5K	1800	20
OC-75	LEO -2 SL.PANEL	22W	1000.00	204	225	3K/4K/6.5K	2200	20

1. High Quality Aluminium Body
2. High performance LED's with 100Lm/W
3. Good Colour Quality with CRI>80
4. 4 kV surge Protection

*All sizes are in mm

Skylite / Biscuit Surface Light

Discover the Difference...

SKYLITE

BISCUIT 3W

TECHNICAL DETAILS

SMD | AC 220-240V | SHAPE ROUND | IP20 | 120°

CAT NO:.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMENS	STD PACK
OP-511	SKYLITE	7W	335.00	85	3K/4K/6.5K/R/G/B/PINK	700	50
OP-512	SKYLITE	15W	695.00	140	3K/4K/6.5K	1500	60
OP-406	BISCUIT	3W	170.00	60	3K/4K/6.5K/R/G/B/PINK	270	100

1. Modern, Unobtrusive Design
2. Full translucent cover providing homegeneous light effect
3. High Color Rendering index>80
4. 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

Pong Downlight

Discover the Difference...

Dual Colour Illumination –



Downlight & Outer ring has different colours.

TECHNICAL DETAILS

SMD | AC 220-240V | SHAPE ROUND | IP20 | 120°

CAT NO.	MODEL	POWER	M.R.P.	OUTER DIA	CUTOUT	HEIGHT	INNER COLOUR	LUMENS	STD PACK
OP-526	PONG	8W	295.00	90	50	43	3K/6.5K	720	50
OP-527	PONG	12W	450.00	114	50	43	3K/6.5K	1080	50

1. Modern, Unobtrusive Design
2. Full translucent cover providing homegeneous light effect
3. High Color Rendering index>80
4. 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

Led Conceal light

Discover the Difference...

CRYSTA

TETRA



SONIC

TECHNICAL DETAILS

SMD | AC 220-240V | SHAPE ROUND | IP20 | 120°

3-IN-1 COLOUR
7W SONIC LED Conceal Light
CW/WW/NW
GREEN/PINK/NW
RED/BLUE/PINK

CAT NO.	MODEL	POWER	M.R.P.	CUTOUT	OUTER DIA.	COLOUR	LUMENS	STD PACK
OP-679	SONIC	7W	210.00	75	110	3K/4K/6.5K/R/G/B/PINK	630	60
OP-845	SONIC 3IN1	7W	280.00	75	110	3IN1	630	60
OP-848	SONIC	9W	250.00	75	110	3K/4K/6.5K/R/G/B/PINK	810	60
OP-680	TETRA	9W	255.00	75	110	3K/4K/6.5K/R/G/B/PINK	810	60
OP-757	CRYSTA	5W	175.00	75	110	3K/4K/6.5K/R/G/B/PINK	500	60
OP-758	CRYSTA	7W	190.00	75	110	3K/4K/6.5K/R/G/B/PINK	700	60

1. High performance LED's
2. Full translucent cover providing homegeneous light effect
3. High Color Rendering index>80
4. 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

Integrated JB Box

Discover the Difference...

TOKYO

TINNY

CHETAK

TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE ROUND	IP20	120°

CAT NO.	MODEL	POWER	M.R.P.	CUTOUT	OUTER DIA.	COLOUR	LUMENS	STD PACK
OC-24R	TINNY	3W	160.00	40	75	3K/4K/6.5K/R/G/B/PINK	270	100
OP-675	CHETAK	4W	145.00	50	75	3K/4K/6.5K/R/G/B/PINK	360	60
OP-678	TOKYO	3W	140.00	55	80	3K/4K/6.5K/R/G/B/PINK	270	60

1. High performance LED's
2. Full translucent cover providing homegeneous light effect
3. High Color Rendering index>80
4. 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

Led Spot Light

Discover the Difference...

BLING

YAMTU PRO AVAILABLE IN
WHITE, CHROME, BLACK, ROSE GOLD

TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	45°

CAT NO:	MODEL	POWER	M.R.P.	CUTOUT	OUTER DIA.	COLOUR.	LUMENS	STD PACK
OP-230	YAMTU PRO	2W	350.00	25	32	3K/4K/6.5K/R/G/B/PINK	200	100
OP-224	BLING	2W	105.00	25	40	3K/4K/6.5K/R/G/B/PINK	200	100

1. High performance LED's
2. Full translucent cover providing homegeneous light effect
3. High Color Rendering index>80
4. 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

Led Spot Light

Discover the Difference...

LUCAS

TWINKLE

3 IN ONE
TWINKLE

SIGMA

TECHNICAL DETAILS

TWINKLE | 3-IN-1 COLOUR

BLUE / GREEN / SKY BLUE
COOL WHITE / WARM WHITE / NATURAL WHITE
RED / BLUE / PINK

COB	AC 220-240V	SHAPE ROUND	IP20	60°

CAT NO.	MODEL	POWER	M.R.P.	CUTOUT	OUTER	COLOUR	LUMENS	STD PACK
OP-671	TWINKLE	3W	240.00	50	70	3K/4K/6.5K/R/G/B/PINK	300	60
OP-687	TWINKLE 3in1	3W	270.00	50	70	3IN1	300	60
OP-674	LUCAS	5W	645.00	50	65	3K/4K/6.5K	500	60
OP-524	SIGMA	7W	350.00	70	105	3K/4K/6.5K/R/G/B/PINK	700	60

1. High performance LED's
2. Full translucent cover providing homegeneous light effect
3. High Color Rendering index>80
4. 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

Prima / Gimbal
surface COB light

Discover the Difference...

TECHNICAL DETAILS

COB | AC 220-240V | SHAPE ROUND | IP20 | 65° Prima / 35° Gimbal

CAT NO	MODEL	POWER	M.R.P.	SIZE	HEIGHT	COLOUR	LUMENS	STD PACK
OP-441	PRIMA SURFACE	10W	1665.00	75	100	3K/4K/6.5K	1000	20
OP-442	PRIMA SURFACE	20W	2310.00	100	100	3K/4K/6.5K	2000	20
OP-734	GIMBAL SURFACE	6W	1100.00	69	81	3K/4K	600	20
OP-735	GIMBAL SURFACE	12W	1600.00	103	130	3K/4K	1200	20

1. Decorative Metalic Finishing
2. Durable & impact resistant Die-casting Aluminium Housing
3. Driver with Inbuilt Protection
4. 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

Prism Downlight

Discover the Difference...

TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE ROUND	IP20	120° (Prism)

CAT NO.	MODEL	POWER	M.R.P.	CUTOUT	OUTER DIA.	COLOUR	LUMENS	STD PACK
OP-521	PRISM	3W	245.00	48	70	3K/4K/6.5K	270	100
OP-522	PRISM	6W	295.00	65	90	3K/4K/6.5K	540	60
OP-523	PRISM	9W	435.00	90	110	3K/4K/6.5K	810	60
OP-525	PRISM	7W	315.00	75	110	3K/4K/6.5K	630	60

1. High performance LED's Chip
2. Full translucent cover providing homegeneous light effect
3. High Color Rendering index>80
4. 4 kV surge Protection Bright, Uniform soft lighting

*All sizes are in mm

LOGICA
LED COB DOWNLIGHT

ORLO®

Discover the Difference...

AVAILABLE LOGICA REFLECTOR COLORS

TECHNICAL DETAILS

LOGICA LED COB DOWNLIGHT | 3-IN-1 COLOUR CW / WW / NW

COB | AC 220-240V | SHAPE ROUND | IP20 | 65° | Body Color Black / White

CAT NO.	MODEL	POWER	M.R.P.	CUTOUT	OUTER DIA.	HEIGHT	COLOUR	LUMENS	STD PACK
OP-784	LOGICA B/W	6W	755.00	70	85	70	3K/4K/6.5K	600	40
OP-785	LOGICA B/W	12W	870.00	70	85	70	3K/4K/6.5K	1200	40
OP-790	LOGICA B/W	18W	1410.00	92	106	85	3K/4K/6.5K	1800	40
OP-784	LOGICA 3IN1	7W	990.00	70	85	70	3IN1	600	40
OP-785	LOGICA 3IN1	12W	1100.00	70	85	70	3IN1	1200	40
OP-790	LOGICA 3IN1	18W	1720.00	92	106	85	3IN1	1800	40

1. High Quality Aviation Grade Aluminum
2. High Performance LED's Chip
3. 4 kV surge Protection Bright, Uniform soft lighting
4. High Color Rendering index>80

*All sizes are in mm

Rimless COB

Discover the Difference...

MIRAGE
Led COB Light

Also Available In Black Body

OPTIONAL
DIMMABLE DRIVER
Price Available upon request

TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	60°

MIRAGE Led COB Light | **3-IN-1 COLOUR** CW / WW / NW

CAT NO.	MODEL	POWER	M.R.P.	CUTOUT	OUTER DIA.	HEIGHT	COLOR	LUMENS	STD PACK
OP-431	MIRAGE B/W	6W	860.00	65	75	80	3K/4K/6.5K	600	30
OP-432	MIRAGE B/W	12W	1130.00	80	90	100	3K/4K/6.5K	1200	30
OP-433	MIRAGE B/W	18W	1540.00	85	95	95	3K/4K/6.5K	1800	20
OP-431	MIRAGE 3IN1	6W	1090.00	65	75	80	3IN1	600	30
OP-432	MIRAGE 3IN1	12W	1360.00	80	90	100	3IN1	1200	30
OP-433	MIRAGE 3IN1	18W	1845.00	85	95	95	3IN1	1800	20

1. Decorative Metalic Finishing
2. Durable & impact resistant Die-casting Aluminium Housing
3. Deep Recess for Visual Comfort
4. Long Life Span Uniform soft lighting

*All sizes are in mm

Tronic / Topaz
Track light

Discover the Difference...

Track Light Connector: Black/White

I Type: Rs. 260.00	L Type: Rs. 260.00	T Type: Rs. 340.00

Track Rail: Black/White

OP-86: 1 Metre Rail - Rs. 545.00	OP-87: 2 Metre Rail - Rs. 1090.00
Dimension (LxWxH): 1000x42x20	Dimension (LxWxH): 2000x42x20

TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	60°

CAT NO.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMENS	STD PACK
OP-461	TRONIC TRACK WHITE	30W	3075.00	100x170x210	3K/4K/6.5K	3000	10
OP-462	TRONIC TRACK BLACK	30W	3075.00	100x170x210	3K/4K/6.5K	3000	10
OP-463	TRONIC TRACK WHITE	50W	4875.00	120x195x235	3K/4K/6.5K	5000	10
OP-464	TRONIC TRACK BLACK	50W	4875.00	120x195x235	3K/4K/6.5K	5000	10
OP-661	TOPAZ TRACK / SURFACE B/W	10W	1560.00	50x100x120	3K/4K/6.5K	1000	20
OP-662	TOPAZ TRACK / SURFACE B/W	20W	2135.00	60x135x140	3K/4K/6.5K	2000	20
OP-663	TOPAZ TRACK / SURFACE B/W	30W	2675.00	80x150x160	3K/4K/6.5K	3000	10

1. Superior light quality great rendering of colors & whites
2. High Performance LED's with 100 Lm/w
3. High Color Rendering index>80
4. Attractive design that blends in with store architecture

*All sizes are in mm

Amber / Sutra

Led Track Light

Discover the Difference...

Amber
Track / Surface

Sutra
Track / Surface

Track Light Connector: Black/White

I Type: Rs. 260.00	L Type: Rs. 260.00	T Type: Rs. 340.00

Track Rail: Black/White

OP-86: 1 Metre Rail - Rs. 545.00	OP-87: 2 Metre Rail - Rs.1090.00
Dimension (LxWxH): 1000x42x20	Dimension (LxWxH): 2000x42x20

TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP20	45°	BODY COLOR BLACK / WHITE

CAT NO.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMENS	STD PACK
OP-666	AMBER TRACK /SURFACE	10W	1560.00	50x135x125	3K/4K/6.5K	1000	20
OP-667	AMBER TRACK /SURFACE	20W	2135.00	75x155x140	3K/4K/6.5K	2000	20
OP-668	AMBER TRACK /SURFACE	30W	2675.00	90x160x155	3K/4K/6.5K	3000	10
OP-1241	SUTRA TRACK LIGHT	10W	1360.00	110x50x130	3K/4K/6.5K	1000	20
OP-1242	SUTRA TRACK LIGHT	20W	1785.00	135x60x160	3K/4K/6.5K	2000	20
OP-1243	SUTRA TRACK LIGHT	30W	2270.00	145x70x160	3K/4K/6.5K	3000	20
OP-1244	SUTRA TRACK LIGHT	50W	3310.00	150x100x200	3K/4K/6.5K	5000	10

1. Superior light quality great rendering of colors & whites
2. High Performance LED's with 100 Lm/w
3. High Color Rendering index>80
4. Attractive design that blends in with store architecture

*All sizes are in mm

Mirror lights

Discover the Difference...

STYLO 6W

STYLO MIRROR
LED LIGHT

STYLO 12W

TECHNICAL DETAILS

SMD | AC 220-240V | IP20 | 120°

CAT NO.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMENS	STD PACK
OP-445	STYLO	6W	1655.00	300x51x145	3K/6.5K	450	10
OP-447	STYLO	12W	2735.00	500x140	3K/6.5K	1080	10

1. Modern, Unobtrusive Design
2. Full translucent cover providing homegeneous light effect
3. Driver with Inbuilt Protection
4. High performance LED's

*All sizes are in mm

Led Tube lights

Discover the Difference...

TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE ROUND SQUARE	IP20	120°

CAT NO.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMENS	STD PACK
OC-50	SQUARE	5W	215.00	290x21x36	3K/6.5K	500	20
OC-51	SQUARE	10W	235.00	580x21x36	3K/6.5K	1000	20
OC-52	SQUARE	22W	240.00	1100x19x29	3K/4K/6.5K	2200	20
OC-52	SQUARE	22W	295.00	1100x19x29	(R/G/B/P/TRINGA)	2200	20
OC-54	SQUARE	25W	385.00	1177x21x36	3K/4K/6.5K	2500	20
OC-57	MUSHROOM	36W	655.00	1165x31x36	3K/6.5K	3600	20
OC-56	RECTANGLE	45W	1280.00	1165x25x40	3K/6.5K	4500	20
OP-1290	DOLPHIN	54W	1700.00	1200x70x50	3K/6.5K	5400	20

1. Bright, soft & uniform light
2. High Performance LED's with 100 Lm/w
3. 60X Better than traditional Fluorecent Tubes
4. Non-yellowing & high efficiency polycarbonate diffuser

*

All sizes are in mm

STRIPPO

Led Strip lights

ORLO®

OPTIONAL
DIMMABLE DRIVER
Price Available upon request



Technical Specifications

CAT NO:	MODEL	M.R.P.	NO OF LED	LENGHT	COLOUR	LUMEN	DRIVER
OP-179	2835	475.00	60 Per Mtr	5 Mtr	3K/4K/6.5K/R/G/B/Pink	28Lm/LED	1.25 Amp
OP-180	2835	680.00	120 Per Mtr	5 Mtr	3K/4K/6.5K/Blue	28Lm/LED	5 Amp
OP-170	2835	1180.00	240 Per Mtr	5 Mtr	3K/4K/6.5K	28Lm/LED	10 Amp

AC 220V OUTDOOR STRIP- IP 65

OP-176	2835-IP 65	7310.00	120 Per Mtr	50 Mtr	3K/4K/6.5K/R/G/B/Pink/Amber/Icy Blue	28Lm/LED	No Driver
OP-851	2835-IP 65	3780.00	120 Per Mtr	25 Mtr	3K/4K/6.5K/R/G/B/Pink/Amber/Icy Blue	28Lm/LED	No Driver
OP-858	2835-IP 65	7000.00	120 Per Mtr	45 Mtr	3K/4K/6.5K/R/G/B/Pink/Amber/Icy Blue	28Lm/LED	No Driver
OP-854	2835-IP 65	3080.00	120 Per Mtr	18 Mtr	TIRANGA	28Lm/LED	No Driver

COMBO PACK

OP-480	2835	720.00	60 Per Mtr	5 Mtr	3K/4K/6.5K/R/G/B/Pink	28Lm/LED	1.25 Amp
OP-484	2835	1105.00	120 Per Mtr	5 Mtr	3K/4K/6.5K/Blue	28Lm/LED	2.5Amp 3Amp
OP-485	2835	1790.00	240 Per Mtr	5 Mtr	3K/4K/6.5K	28Lm/LED	4.0 Amp

Captain DRIVERS

1.25 AMP CAPTAIN DRIVER	
OC-234	MRP : 245.00

2.5 AMP CAPTAIN DRIVER	
OC-236	MRP : 435.00

4.0 AMP CAPTAIN DRIVER	
OC-238	MRP : 615.00

ULTRA SLIM SMPS DRIVERS

5 AMP ULTRA SLIM DRIVER: DC12V-2835 STRIPPO	
OP-777	MRP : 610.00

10 AMP ULTRA SLIM DRIVER: DC12V-2835 STRIPPO	
OP-778	MRP : 835.00

16.5 AMP ULTRA SLIM DRIVER: DC12V-2835 STRIPPO	
OP-779	MRP : 1410.00

3 AMP (12V) SMPS DRIVER
OP-1309 | MRP : 425.00

25 AMP ULTRA SLIM DRIVER: DC12V-2835 STRIPPO	
OP-873	MRP : 1720.00

5 AMP PENCIL DRIVER: DC12V-2835 STRIPPO	
OP-776	MRP : 650.00

POWER PLUG :220V AC-5050 STRIPPO	
OP-177	MRP : 155.00

AC/DC PREMIUM POWER PLUG	
OP-856	MRP : 310.00

EIFFEL CONE BAMBOO ASTRO GATE CONE GATE

TECHNICAL DETAILS

IP66 | BODY COLOR - BLACK

CAT NO.	MODEL	BASE/WATT	M.R.P.	SIZE/HEIGHT	COLOUR	STD PACK
OP-421	EIFFEL	E27	3590.00	500	-	4
OP-422	CONE	E27	4870.00	765	-	4
OP-420	BAMBOO	E27	2205.00	380	-	4
OP-424	BAMBOO	E27	4485.00	750	-	4
OP-425	ASTRO GATE	E27 / B22	1435.00	230x180	-	4
OP-426	CONE GATE	E27 / B22	1435.00	220x175	-	4

1. Modern, Unobtrusive Design
2. Full translucent cover providing homegeneous light effect
3. High Quality Aviation Grade Aluminum
4. Non-yellowing & high efficiency polycarbonate diffuser

*All sizes are in mm

Garden lights

Discover the Difference...

GARDEN LIGHT

BURIAL IN-GROUND

TECHNICAL DETAILS

COB	AC 220-240V	SHAPE ROUND	IP66	60°

CAT NO.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMEN	STD PACK
OP-72	GARDEN LIGHT	5W	900.00	280x70	3K/6.5K/R/G/B/PINK	500	20
OP-72	GARDEN LIGHT	5W	1200.00	280x70	RGB	-	20
OP-75	GARDEN LIGHT	7W	1025.00	280x50	3K	700	20
OP-73	GARDEN LIGHT	9W	1330.00	300x80	3K/6.5K/GREEN	900	20
OP-1332	BURIAL	3W	1325.00	65x80	3K	300	20
OP-563	BURIAL	6W	1725.00	100x80	3K	600	20
OP-564	BURIAL	9W	2250.00	100x100	3K	900	20

1. Modern, Unobtrusive Design
2. Full translucent cover providing homegeneous light effect
3. Driver with Inbuilt Protection
4. High performance LED's with 100Lm/W

*All sizes are in mm

K-lite / Omega / Apollo Up-downlighter

Discover the Difference...



TECHNICAL DETAILS

COB | AC 220-240V | SHAPE ROUND | IP65 | 65°

BODY COLOR - BLACK

CAT NO.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMEN	STD PACK
OP-396	APOLLO SINGLE	5W	1130.00	80x80x65	3K	500	50
OP-399	APOLLO DOUBLE	10W	1680.00	150x80x65	3K	1000	40
OP-565	K-LIGHT SINGLE	5W	845.00	78x65	3K	500	50
OP-566	K-LIGHT DOUBLE	10W	1230.00	142x65	3K	1000	40

1. Modern, Unobtrusive Design
2. Full translucent cover providing homegeneous light effect
3. Driver with Inbuilt Protection
4. High performance LED's with 100Lm/W

*All sizes are in mm

PC (Polycarbonate) UP-Downlighter

Discover the Difference...

K-Light
Double PC



K-Light
Single PC



Ultima
4 Way PC

2 Way
Oval Light PC

4 Way
Oval Light PC



6 Way
Oval Light PC

TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE ROUND / K	IP65	65°

CAT NO.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMEN	STD PACK
OP-1293	HALF K (PC)	5W	640.00	78x65	3K	500	50
OP-1294	FULL K (PC)	10W	810.00	142x65	3K	500x2	40
OP-1296	2 WAY OVAL	5W	550.00	76x76	3K	500	50
OP-1297	4 WAY OVAL	10W	730.00	127x76	3K	1000	40
OP-1298	6 WAY OVAL	15W	925.00	178x76	3K	1500	40
OP-1299	4 WAY OMEGA	6W	725.00	76x76	3K	600	40

1. Modern, Unobtrusive Design
2. Full translucent cover providing homegeneous light effect
3. Driver with Inbuilt Protection
4. High performance LED's with 100Lm/W

*All sizes are in mm

Led Up-downlighter

Discover the Difference...

SPUTNIK
UP-DOWNLIGHTER

CLUTCH
UP-DOWN LIGHT

TECHNICAL DETAILS

COB SMD	AC 220-240V	SHAPE ROUND	IP65	65°

CAT NO.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMEN	STD PACK
OP-393	SPUTNIK	10W	2025.00	126x60	3K	1000	50
OP-747	CLUTCH	12W	1860.00	95x115	3K	1200	50

1. Modern, Unobtrusive Design
2. Full translucent cover providing homegeneous light effect
3. Driver with Inbuilt Protection
4. High performance LED's with 100Lm/W

*All sizes are in mm

Led Bulkhead Light

Discover the Difference...

TECHNICAL DETAILS

SMD | AC 220-240V | IP65 | 120°

CAT NO.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMENS	STD PACK
OP-262	BULKHEAD	10W	655.00	117x70x60	3K/4K/6.5K	1000	30
OP-263	BULKHEAD	20W	960.00	185x85x65	3K/4K/6.5K	2000	20

1. Modern, Unobtrusive Design
2. Full translucent cover providing homegeneous light effect
3. Driver with Inbuilt Protection
4. High performance LED's with 100Lm/W

*All sizes are in mm

Led wall light

Discover the Difference...

MICRA 3W

Body Color- Black / White

MICRA 5W

Body Color- Black / White

TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE SQUARE	IP65

CAT NO.	MODEL	POWER	M.R.P.	SIZE	CUTOUT	COLOUR	LUMENS	STD PACK
OP-392	MICRA	3W	860.00	85x85	70x70	3K	240	20
OP-395	MICRA	5W	1280.00	125x85	70x110	3K	400	20

1. Modern, Unobtrusive Design
2. Full translucent cover providing homegeneous light effect
3. Driver with Inbuilt Protection
4. High performance LED's with Chip

*All sizes are in mm

Led Flood Light

Discover the Difference...

tablet FLOOD LIGHT

HEXA FLOOD LIGHT

HERCULES LED FLOOD LIGHT

TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE SQUARE	IP66	120°

CAT NO.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMENS	STD PACK
OP-371	HEXA	30W	1925.00	185x185x50	3K/6.5K	3300	20
OP-372	HEXA	50W	2220.00	230x225x47	3K/6.5K/R/G/B/PINK	5500	10
OP-373	HEXA	100W	3810.00	285x270x60	3K/6.5K	11000	5
OP-374	HEXA	150W	6285.00	350z285z70	3K/6.5K	16500	5
OP-375	HEXA	200W	8720.00	295x315x70	3K/6.5K	22000	4
OP-380	HEXA	250W	9700.00	420x325x80	3K/6.5K	27500	4
OP-542	TABLET	20W	1285.00	145x116x35	3K/6.5K	2200	20
OP-711	HERCULES	30W	1720.00	170x180x35	3K/6.5K	3300	20
OP-712	HERCULES	50W	2015.00	210x220x35	3K/6.5K	5500	20
OP-713	HERCULES	100W	3525.00	285x275x45	3K/6.5K	11000	10
OP-714	HERCULES	200W	7310.00	330x340x45	3K/6.5K	22000	5

1. High Performance LED's with 110 Lm/w
2. Pressure Die cast housing for good heat dissipation & increase of service life
3. High Surge Protection
4. Over voltage protection & under voltage protection

*All sizes are in mm

Led Flood Light

Discover the Difference...

TECHNICAL DETAILS

SMD | AC 220-240V | SHAPE SQUARE | IP66 | 120°

ARCUS
FLOOD LIGHT

CAT NO.	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMENS	STD PACK
OP-567	ARCUS	50W	1835.00	180x170x47	CW,WW	5500	10
OP-399	ARCUS	100W	3140.00	225x220x50	CW,WW	11000	10
OP-715	ARCUS	200W	7180.00	285x350	CW,WW	22000	5
OP-716	ARCUS	150W	5000.00	285x270	CW,WW	16500	5

1. High Performance LED's with 110 Lm/w
2. Pressure Die cast housing for good heat dissipation & increase of service life
3. High Surge Protection
4. Over voltage protection & under voltage protection

*All sizes are in mm

Helios
Flood Light

New Design & Higher Lumen.

Cost Effective, Water Proof (IP-66) durable

IP-66

100% Proudly
Made in India

MODEL: OP-1291
INPUT VOLTAGE : 185-265V
POWER :50W
FREQUENCY : 50-60 HZ
BEAM ANGLE : 120°
IP RATING : 66
M.R.P : ₹ 1630.00
(GST PAID)

Product Dimensions:
LXWXH : 270X225X40MM

MODEL: OP-1292
INPUT VOLTAGE : 185-265V
POWER :100W
FREQUENCY : 50-60 HZ
BEAM ANGLE : 120°
IP RATING : 66
M.R.P : ₹ 2655.00
(GST PAID)

Product Dimensions:
LXWXH : 330X260X45MM

Available Wattage
50W, 100W

Available Colour:
6500K, 3000K

Otter Street lights

Discover the Difference...

TESLA
LED STREET LIGHT

OTTER

TECHNICAL DETAILS

SMD | AC 220-240V | IP66 | 120°

OTTER STREET LIGHT 50W
WITH SENSOR DAY/NIGHT (OP-705)

CAT NO:	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMENS	STD PACK
OP-701	OTTER	24W	1755.00	330x90x30	3K/6.5K	2400	20
OP-702	OTTER	30W	2200.00	330x110x30	3K/6.5K	3000	20
OP-703	OTTER	50W	2630.00	390x145x50	3K/6.5K	5000	20
OP-705	OTTER Sensor	50W	3140.00	390x145x50	3K/6.5K	5000	20
OP-704	OTTER	100W	4810.00	450x170x50	3K/6.5K	10000	10
OP-1263	TESLA	30W	2115.00	320x127x50	3K/6.5K	3000	10
OP-1264	TESLA	50W	2435.00	370x170x50	3K/6.5K	5000	10
OP-1265	TESLA	100W	4550.00	450x190x55	3K/6.5K	10000	10

1. High Performance LED's with 100 Lm/w
2. Full translucent cover providing homegeneous light effect
3. Driver with Inbuilt Protection
4. Pressure Die cast housing for good heat dissipation & increase of service life

*All sizes are in mm

LOWBAY, UFO Highbay

Discover the Difference...



TECHNICAL DETAILS

SMD	AC 220-240V	SHAPE ROUND	IP66	120°

CAT NO:	MODEL	POWER	M.R.P.	SIZE	COLOUR	LUMENS	STD PACK
OP-121	UFO	50W	3750.00	160x125	3K/6.5K	5500	1
OP-129	UFO	100W	6410.00	160x125	3K/6.5K	11000	1
OP-130	UFO	150W	9230.00	320x100	3K/6.5K	16500	1
OP-131	UFO	200W	11025.00	325x100	3K/6.5K	22000	1
OP-377	LOWBAY	70W	4785.00	300x170	3K/6.5K	7700	1
OP-378	LOWBAY	100W	5385.00	300x170	3K/6.5K	11000	1

1. High Quality white light with controlled light distribution
2. Corrosion resistant coating
3. Best in class SMD LED's Provide high lumen output, contributes upto 55% energy saving
4. Housing with good heat dissipation & increase of service life

*All sizes are in mm

ORLO Projects Catalogue
New Edition- 2024

ORLO
Project Catalogue
August 2024

Note: For all your customised requirements and preview of our exclusive lighting range, Please refer to ORLO Projects Catalogue Edition.

Our Certfications

भारतीय मानक ब्यूरो
(स्थापित अधिनियम का अधीन केन्द्रीय सरकार, अनुसूचित)
BUREAU OF INDIAN STANDARDS
(Established under Central Government Act, Scheduled)
(Ministry of consumer affairs, food & public distribution, govt. of India)

मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली - 110002
Manak Bhawan, 9 Bahadur Shah Zafar Marg, New Delhi - 110002
दूरभाष/Phone: +91-11-23230131,23230101,23230102,23230103,23230104
ई-मेल/E-mail: registration@bis.gov.in
वेबसाईट/Website: https://bis.gov.in; https://www.online.bis/BIS/

Our Ref: Registration/CRS 2021-71648-R1010057 Date:28-12-2021

Subject : License Document

Manufacturing Unit :	ORLO ELECTRONICS PRIVATE LIMITED K-11, UDYOG NAGAR INDUSTRIAL AREA, NANGLOI, ROHTAK ROAD, NEW DELHI WEST, PIN 110041 DELHI,Delhi 110041 orlolighting@gmail.com 9540061122	

Dear Sir,

1.With reference to your Application, we are pleased to inform you that it has been decided to grant you license as per details given below :

Product Category:	LED Fixed Lights
Product Name:	LED Fixed Lights
IS NO :	IS 10322 (PART 5/SEC 5) : 2013
Brand (As Declared by Manufacturer)	ORLO, SIMMBA King of Lighting
Model :	[Brand -> ORLO, Models -> 180W, 150W, 200W, 20W, 30W, 50W, 70W], [Brand -> SIMMBA King of Lighting, Models -> 180W, 150W, 200W, 20W, 30W, 50W, 70W]
Factory Address :	K-11, UDYOG NAGAR INDUSTRIAL AREA, NANGLOI, ROHTAK ROAD, NEW DELHI WEST, PIN 110041 DELHI,Delhi 110041

2. The licence is being granted for your unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this License is **R-01010057** which has been made operative from **28-12-2021** and is valid upto **19-12-2023** . The License Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the licence shall not be exercised by any other factory / organization at any other location. This licence is not transferable. In the event of shifting of the manufacturing machinery from the registered premises to some other place one of the licence Number shall be stopped and BIS shall be informed.

5. The licensee shall comply with the provisions of the Act, rules and regulations framed thereunder and as amended from time to time.

6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annex-I.

7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, rules and regulations framed thereunder and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of license, you shall discontinue forthwith the self declarations of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for renewal is available on BIS website.

10. The licence is not transferable. Kindly acknowledge receipt of this letter.

Thanking you,

Yours faithfully,
(Avik Dutta)
Scientist-C
Tel.Ext.: +91-11-23230056
E-mail: registration@bis.gov.in

Note: This is a system generated letter. Hence signature is not required.
To verify authentication of letter, kindly scan the QR code on this letter.

ORLO BIS Certificate

Certificate of Registration

This is to Certify that
Quality Management System of

ORLO ELECTRONICS PRIVATE LIMITED

K-11, UDYOG NAGAR, DELHI - 110041, INDIA

has been assessed and found to conform to the requirements of

ISO 9001:2015

for the following scope :

MANUFACTURING AND TRADING OF LED LIGHTING

Certificate No	: 22EQGA85		
Initial Registration Date	: 06/06/2022	Issuance Date	: 06/06/2022
Date of Expiry	: 05/06/2025		
1st Surve. Due	: 06/05/2023	2nd Surve. Due	: 06/05/2024

mms EGAC Accredited IAF

Director

Magnitude Management Services Pvt. Ltd.
B-55, Lower Ground Floor, Sector 82, Noida-201301, U.P, India
e-mail: info@mmscertification.com, website: www.mmscertification.com
* Subject to Successful Surveillance Audit and any surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawn.
Certificate Verification: Please the check the validity of certificate at http://www.mmscertification.com/verify.aspx or www.mmscertification.com at Active Clients.
Certificate is the property of Magnitude Management Services Pvt. Ltd. and shall be returned promptly when demanded.

ORLO ELECTRONICS Certificate

Our Clients...

General Notes:.

- This price list is effective from 1st August 2024
- MRP is inclusive of all taxes.
  All wattages/lumens are system wattage/lumens | All fitting can operate between 100V and 285V
- All listed products carry a warranty
- Every efforts has been made to ensure accuracy in compilation of technical/ commercial details in catalogue.

ORLO 2 YEAR WARRANTY

ORLO®

Contact Us

Regd. Address: New Delhi
K-11, Udyog Nagar Industrial Area, Peera Garhi
Near Peera Garhi Metro Station, Rohtak Road
New Delhi-110041

Find Us

E-mail: info@orloindia.com || Website : www.orloindia.com
Toll Free Number: 1800 103 4199

PROUDLY MADE IN INDIA